

Sold of the company o The state of the s

I. Throughout much of the area (Except in alfine or other extreme or the special and localized habitats) Full-foce = mostly abundant 1. Wide nough dermo boreal or soll-timperate 1. Circumboreal (Eurasia autaones North america) Listera cordata Too pratmis Equisetum arvense " angustifolia Myrica Gale " fluviatile " nemoralis atiples parity Lycoposium erundatur " palustris i annotinum Areneria laterifla Cima latifolia " clavatum 5 Fellaria Confifolia alopeeurus aequalis Canunculus scelleratus Botrychism simples matricario plin Thalaris arendinacea Drosera notusti Woodsia ilvensis Hierochlie adorata Palentille frutions Cleocharis acieslaris Buem rivale Cystopleris fragilis palustio, Myorferis dispuncta Callitrick palada Scirpers hudsonienus Epilobium angustiplia " Pheropheris Circala alpina spinulosa Eriophorum gracile Myriophyllum Oferidium aquilinum. Rhynchospon alba I beiticillatum, ver latinsedus was pectination Cares diandra Moneses uniflora " disperma Typha latifolia " Canescens Pepola Accunta Sparganium angustifohim vas. subfi-Monotropa Zastera marina vy strophyla Hypotothys " brunnescus, vas. Vaccinium Oryescous Potamojelon, Berchtoldi sphaerostachye Lysimachia . val. Emissimul " Busbaumi Se thyrsiflera Peronica " grammens 11 Simbea 11 nostrata, vas. estriculata scutllata Festuca rubra 11 bescearia Utricularia Juneus articulatus sulgaris Lugula multiflora " mines filifamio " intermela

Talium paluste Lathyres palustos, Koriffia eslandica Campanula ratemdipha vor macianthus Dosera internetia Her polosins Lettopac polistos, By rola eliptica Verovica of freindso 1. E. Mark america sad Eu, of monotops unifor Inaphalium ulia-Chamaedaphur mosum calyenleta, 2. Party Circumboreal Zamishellia palithis, ver major Elaus maritima. Destuca Nera Mar. Commetate (European and across bar offusifolia Orgraphica repeat, our probulation Noth america) Eriocaulon septempedere Runella volgaris, Dryopherio cristata. ver lanceolita Liparis Loeselie Potamogeton opilipant, despes emifleres Stelleria alsine Deschampsia caspiton, Capile edentala Western of Britham Lignopicom Scothicom Enphrasia Cog. v. Miller Europe an health aprostis alba, vas. palustis 8 E. N. Um. extering of forthanerica-sometimes Rhynchospna fuses Polygoniam tapathighin Boughiallantic) interreption on from Teap of Gallop Hotamogeton spilydrus, Osmunda regalis, vispectal indent. sparting peofinate Saliciplies Chenopodium rubrum Labelia Dortmana Tillaca aquatica 9 E. M. am. 6. to 8. 16. Als. Men da Sto. Tou. 3. Partially Circumbriles Comple Lyespolium obscurum America Seaston South lesica Sycopolium cuojani smoth noclea sensibiles Lycopad. Comples. Myapto Clabelly. Condroileur Con cur propleis Relighteris, Tholopesis, V. palicon accinecio por alla alaskane " sousboracinis Polypadion virginianum " spineter. Kuppia maritima, Carex lasiocarpa, eras. Concipes " Distate A Chitain her. Americana meas Effusia, va decipiens Smilacina Tripolia L'enne tardes puncted Strepto amplepifolius, Finus Strabus Polyconem sagithation . tal. americanus Juni perus comadino, Popamopios. a pressa Perpeliatus, rac. temple urorides Karifyan islandica, Phagus Lebrutucke bar. Hemaldiana 6. E. M. & Kusasia Mitella mida Deschampsia flexura Potentilla Egedei, Glyceria canaderisis Imeus Gerail Rubus idaeus. " Striata Financia Elogonous vin Cinicus annophila Dovikallate Sagina propanters bar, canadensis

Scirpus atrivireus, Betch later. Troba eventlata V. macrolepus Criophorum virginiam 11 paparifer aralis hispida V. Coedifoha Cares trispensa Hydrocotyle americans Polygonina ave. 1, scaparia V. littorale Comoselinum chineras o crinita " Colonate Cornus alfemifolis " " vol. garana " graseflima Claytonia card. Kalmia angustifolia " debilis, var. Rusepi Tymphasa wood Epigaea repens, Tanune, recount. 11 Consider Thaliotr, polyg. 11 leptonorina I aylussacis baccato Baptis granulant 11 follicente Vaccinism macrocarpan Cardanine pen., Juneus Effasus, V. solutus var Britoman Lysimachis terrestis " Levianudadas Spiraea Catifolia Clintonia tracalis Limonium Mashi (Fyrus melanocapa Smilacona stellata Aymphorited Corbata var. arassa " americana - Chilone clotra dilabata 3 traptopus amplesis. Amelanchies, laws us perspectus Africaloria somuta Ingaria orfomeria William Cernusm Falium tinctorium " asprellum Sisyrinch argentify. Potentilla Tridentata mitdelle referre Corpripelium Calceolus, rat. Calvescons Giervilla Konicea was parvillouns Viburniam Cassinoides Rubus canadensis Habsmaria viridis, Silipago hispida .. pensilvanieus aster punkeus Sangrusorba causdonsin " orbigalata " "V. Farripli Rosa virginiana 11 alephanislates 11 simples " prijeodes Prumus virginiana n qualoriala " simbellatus Oxalis montana Tofonia ophiaglanoides brigarin philadelphica Calopogon pulchellus Lley verticillate II remoules Arathusa bulbosa Publishia solar acer spicatum Bidens fundosa Maris serifolia Genecie pauperaulus, 11 rubrum Salin rigida Circium merican Prenanthes Inspectate Impariens pallela Populus trimulodes " capensis Thy rica penghansa Hypericum comadare

Minst leyer 1 a. Ky. 25 Mis Vaccin angret. V. laevigt. Sisyrinch most. N. Crebrum Batyphian lancest. Iris versich Trisutalis Brealis sur, proposati sogn. Haben clav. V. Frayines nigra Eryph. spin , v. frust. ophias Linesella subulata ather to f. 1. Michaul Salix Lucida abies balsamen. Solidago serap: Myrica Gale, V. Pinus resmon . " nugosa. V. Villosa. subclabu Spacion Chlore " famenifolia Betula papary ... r. noonle aster rabula Potom. & piritus Arcenthobium 11 memorales pusillum antemaria nevolvica Rumes Pallibus Bernes cil. i intonsas Hieracium car V. dirtir · orbiculatus Elycenia Fernalmi Armania pepl. Torrebyelytoum treet Aupher misuphallon il seprentionale Trubrolison Spartina attenuitors Ransens. trickoph. Panicum kanus. Farnassia flanca par implication Robes hirtellan Cleven. Small is Pyras floribusta " halophila And stoloniky Scirpus subortinglas Kubus vermondans " elegentalus Crioph. Hersey Lathurus jap. , V. Allia " Frnellune Heavest., O. Femisphia Carex Tisp. v. tro Bil. Nemopanth. mucion silies " harmatildes · cause. V. disjuncts Hypericum virgia. ., pallese, V. neogaea " flava, v. fartilis Clatine minima Viola may V. Holesii " aligosperma " Myriagh. Fraellian 11 vesie, V. monte angelier atrop. Juneus offair v. Pylasei " astio, v. altustics Phodaden caned " pelocarpius. andromein forth Similarina stel, va crash

Cerest & Grand Make inc front. Brigh have Par ar Ear offino. Carey capitals Ly Olan subella " Maconina - The Sole lep, midne Senece gasp . Junial 53 Euphases B July?? 3488. Inla Conten gasp Unlost Heat abis Co. Graph Freprin Truy 1 Cal andpo Caelopleum of Comode Smelin 87 Antelica Input Cake

W. not seyed 1 a. Ky. 25 mo Vaccin angest. V. laevigot. Sisyrinch mo Dris versicht Batyelian lanced. was sangeredisque. Drught spin , R. Just. athyr. A. J. P. Michaus abies balsania Pinus resissa Sparjen Chlore with yellow wood and inner bark, yellow flowers mostly in umbels or racemes, sour berries, berry. Seeds erect, with a crustaceous integument. — Shrubs, nat. of all continents but Austral. spots inside above the short claw. Stamens 6. Stigma circular, depressed. Fruit a 1-few-seedec and 1-9-foliolate leaves. Stamens sensitive, springing forward when the base is touched. (Name of the base is touched.) Sepals 6, roundish, with 2-6 bractlets outside. Petals 6, obovate, concave, with two glandular .. r. noonle Raton Spirillus Cakesimus valus Bernes del. intonsus MENISPERMACEAE (MOONSEED FAMILY) Syceria Fernathi torachielytown treet 1. Septentrionale Spartine attenuitors Panicom lang. per implication Eleven. Smallin Scirpus outerments
" cyp. " pelus
Trioph. spissum " Frakkem Carex Lisp . v. too Bil cause. V. disjuncts " harmatliber . pullese, V. metraea " arctata flava, v. factilis " oligosperma " genous refluences, v. Pylasei Photodan, cause milacino stel, na crasa Andromeda }

British lance Market Byot, montans Par athyr alpestr Cara Carey Capulati Lycopal , alp Soul " Mratrima -that, scaled Vace mubil Vetante lajon June, carlanen Jalus! Tivla Salix helicaya o controlle Willot Heat Client, Clienst maph Supin Tray " Fricherianum Reminered allemin Cal andpo Day Clmus " Calsfutors Caelopleum 7 Cornoll Smelin Sybbalina proc Antelica Pub arct Input Oake United America

Mens Seyen 1 a. Ky. 25 mo Vaccin angret. V. laeviget. Sisyrinch. most. N. Orebrum Bohyelian Lancest. Iris warsing var, proportiogs. Bidigal Remarcis Corlan by part Burey praterio 6. peticos amelonehies 7astrage Olytropio appula defless my Ar Onker Remarker " vesie. V. monile Juneus refluies v. Pylasei Photodand. caned " pilocapus. andromer fangous brilacins stel, ju cassa

April 1 from Laurent ! Only How the Partie 12.11.11

Religion langual.

Baluphion langual.

Baluphi


Juneus off man P. Pylatei

" artio, " altwares

brilacina stolyna casta

Photodan canco





VASCULAR FLORA

of the

GASPÉ PENINSULA

and

ADJACENT AREA


including


the Counties of


GASPÉ, BONAVENTURE,


CASPE, BONAVENTURE,
MATANE and RIMOUSKI,
QUEBEC


M. L. Fernald.











DIRECTORY

Assamet = Assametquagan, Bonaventure Co.

Bar = Barachois de Malbaie, Gaspé Co.
Belgium, Bonaventure Co.
BI = Bonaventure Island, Gaspé Co.
Bic, Rimouski Co.
BR = Bonaventure River, Bonaventure Co.

Capucin, Matane Co.

Cap Ren= Capau Renard Gaspé Co.

Cap Ros = Cap Rosier, Gaspé Co.

Cape Despair (Cap d'Espoir), Gaspé Co.

Carl = Carlton, Bonaventure Co.

CC = Cap Chat, Gaspé Co.

Ch = Christie, Gaspé, Co.

D = Douglastown, Gaspé Co.

DaR = Dartmouth River, Gaspé Co.

DR = Mouglastown (or StJonn)River, Gaspé Co.

Escum = Escuminac, Bonaventure Co.

Fort = Mt. Fortin, Matane Co. Fox R [iver], Gaspé Co.

GB = Gaspé Basin, Gaspé Co. GC = Grand Cascapedia River, Bonaventure Co. GR = Grand River, Gaspé Co. Grand Étang, Gaspé Co. Gr Val = Grande Vallée, Gaspé Co. Grosses Rocnes, Matane Co. Jaco Hughes, Matane Co.

LC = Little Cascapedia Hiver, Bonsventure
Co.

LdesAm = Lac des Américaines, w. base of TT.

LM = Little Metis, Matane Co.

LMetis = Little Metis, Matane Co.

Little River, Gaspé Co.

Log = Mt. Logan, Matane Co.

LT = Low's Trail between Porks of RSA and
Lac des Américaines, Grape Co.

Kmy: Lac ment louis my to Arth Fork of Manuscrine Line,

Lof in type = Matheway

Mad R = Madeleine River, Gaspé Co.

Mar = Marsouin, Gaspé Co.

Mart R = Marten River, Gaspé Co.

Matane, Matane Co.

Met = Metapedia, Bonaventure Co.

Met R = Metapedia River, Rimouski, Matane
& Bonaventure Cos.

ML = Mont Louis, Gaspé Co.

Mt.A = Mt. Albert, Gaspé Co.

N = Nouvelle, Bonaventure Co.

NC = New Carlisle, Bonaventure Co.

NR = Nouvelle River, Bonaventure Co.

AS = Reffle Gully

tick - Art hicolabert

UFK: Nouthfork as I

TP = Mudpanto tack of I.

P = Paspébiac, Bonaventure Co.
Percé, Gaspé Co.
Point Fame, Gaspé Co.
PN = Pointe Nouvelle, Hope Township,
Bonaventure Co.
PD = Port Daniel, Bonaventure Co.
PDR = Port Daniel Piver Bonaventure Co.

PD = Port Daniel, Bonaventure Co.
PDR = Port Daniel River, Bonaventure Co.


Gamba: Md Frankrike


RBlanche = Rivière Blanche, Matane Co.
RCC = River Cap Chat, Matane Co.
RSA = River Ste. Anne des Monts,
Gaspé Co.
RVal = Ruisseau Vallée, Gaspé Co.
Rim = Rimouski, Rimouski Co.
TF = Ranche à Co.


Sandy Bay, Matane Co.
Shig = Shigawate, Bonaventure Co.
SJE = St. Jean l'Evangéliste, Bonaventure co.
ture co.
StFab = St. Fabien, Rimouski Co.
Ste Felicité, Matane Co.


T = Tourelle, Gaspé Co. Trac Mt = Tracadigash Mt., Bonaventure Co. TT = Tabletop Mt., Gaspé Co.


Yk = York, Gaspé Co. YkR = York River, Gaspé Co.











- Mar. dog man tick TT Af
- W. ilv., var. gracilis Lawson. Ch, DaR(Bell.type), T, RSA
- W. alpina (Bolton) S.F. Gray.
 Bic, Strap, BR, N, Belgium, DaR, Cap Ros.
 to Ste A des H (M). SJE, GC, GR, Falls RSA,
 Ch. Mars.
- W. glabella R. Br.

 GR, 3R, Belgium, freq. on N. coast (II),
 GC, ASA, Percé, ACC. Dak (Bell). Zug. matw
- W. oregana D.C. Eaton.
- W. scopulina D.C. Haton.
- Cystopteris bulbifera (L.) Bernh. Com, LC, GC, LT, BIC, Jaco Hughes, Metane (Forbes), Carl, Perce, 2004 (19. 20. 20. 17.)

- C. fregilis (L.) Bernh. Com. I, Bic, LtA, (hornbl), Log, 71
- C. fragilis, ver. laurentiana Westherby Bic, YKR, RCC, Pourte, B. S.
- C, montana (Lam.) Bernh. MtA (hornbl), LT, GR, Zm2-47%,
- Pteretis nodulosa (Michx.) Nieuwl. Com. MtA(hornbl), RCC.
- Onocles sensibilis L.
 NC,D,Dak, GC,Bic, Bar, kCC.
- Thelypteris palustris Schmidel. Carl. BR,
- T. noveborscensis (E.) Nieuwl, (3: thurst)
- T. Dryopteris (L.) Slosson,
 Com. LtA(hornbl), Bic, RBlanche (Porbes)
- T. Robertiana (Hoffm.) Slosson

- T. Phyopteris (L.) Slosson Com. NtA(hornbl), Log, LMetis(Fowler), T,LC,GC,
- 7. fragrans (L.) Nieuwl., var. Hookeriana Pern. Bic, Trackt, BR, RStel, LtA (hornbl), 'ssamet'
- Tharginalis (L.) Nieuwl. Bic, Carl, BR.
 - T. Filix-mas (L.) Nieuwl,
 Perce, FoxR(M), BI, Fort, Bic, Pents Ch,
 - T. Boothi (Tuckerm.) Nieuwl.
 - T. cristate (L.) Nieuwl. NC, Carl, BR, Dak, Bic, RCC,
- T. spinulosa (O.F.M.) Nieuwl. GR, RCO, Bic, D. LT.
- T. spin., var. americana (Fisch.) /estherby Com, MtA, (hornbl), Bic. Log.
- T. spin., var.intermedia (Muhl) Nieuwl. Com, MtA(hornbl), Perce, LT.

7: opin . 7. 7.1

1300

- P. Lonchitis (L.) Roth.
 Tree.Ht, Perce, TT. L.
- P. scopulinum (D.C.H.) Hazoner
- P. Braunii (Spemer) Pée Com, Carl, BR, Bic, GC, MtA(hornbl), RCC, Port, Har, Percé, Matane (Forbes) Xeg, TT

Dennstaedtia punctilobula (Michx.)Moore

Athyrium acrostichoides (Sw.) Diels. Bic, GC, RCC,

- A. asplenioides (Michx.)Desv., var. Michauxi (Spreng)
 A. angustim
- A. asplen., yar. rubellum (Gilbert) Com. D', Bic, RCC, Log.
- 1. asplen., var. laurentianum (Butters)

a. Filiy-femma, vas. sitchense Rupr.

A. alpestre (Hoppe)Rylands, var Americanum 'Butters.

Phyllittis Colopendrium (L.) Newmen (Wood-stock, N.B.)

Asplenium viride Huds,
Com. GR, Bic, Tracht. 3R, Belgium, GC, Carl,
MtA(serp), Ch, Metane (Forbes), Log dick.

A. Trichomanes L. Bic,

A. marinum L. ("New Brunswick")

locdwardia virginice (L.) Sm. Gaspé Basin (M)

Pellaga densa (Brack.) Hook.

Cryptogramme Stelleri (Gmel.)Prantl. Com. GR, Bic, Tracht, BR, Perce, GrRoches, RSA, Carl, LC, Hatane (Forbes), Dans. C. acrostichoides R.Br. (Esb.)

Adiantum pedstum L.

ped., var. alenticum Rupr.

Pteridium aquilinum (L.)Kuhn, var. lanuginosum Bong. L'Anse à Cabielle (J.Bell).

P. ag., var.latiusculum (Desv.)Underw.

Polypodium virginianum L. Com. Bic, RSA, K3lance (Forbes), Mixe.

Csumunda regalis L., var. spectabilis (/illd.)

- C. reg., ver. "pumila hilde" (Hfd.serp.)
- O. Claytoniana L. NC,D,Dan,MtA(hornbl),LT,TT,Percé, 3ar, RCC. nor, Log.
- O. cinnamomea L. NC,D,DaR,Matane,Bic,Percé,BI,Ber,

OPHIOGLOSSACEAE

Ophioglossum vulgatum L.

- Botrichium Lunaria L. P.K. Bic, Carl, CR, Percé, 3I, Ch.
- Perce, Bic, omondagense (Underw.) Clute.

11 1. ? Nictamis

- 3. lanceolatum (Gmel.) Angstr.
 Bic, for 190
- 3. angustisegmentum (Perse & Moore) Pernald
- 3. matricariaefolium A. Br. P, Bic, N, Percé, T, BI, Log, GR, Ly
- B. ternatúm (Thunb,) Dw., var.intermedium DCE.
- 3. ternatum, var. rutaefolium (A.Br.)DCRaton N, Bic, GK, D.
- 3. virginianum (1.)Sw.
- 3. vir., var. europaeum ingatr. GC, Ber, GC, LMetis (Fowler) GR, Rea.

Equisetaceae

Equisetum arvense L. Com. LMet(Fowler) BR, RSA, MtA(hornbl),

- E. pratense Ehrh, Com. Percé, ET, HtA(hornbl), RSA, LC, GR, N, RCC, In X-+7k
- 2. sylvaticum L.

E.

- Com. Mta(hornbl), BI, Bic, LMet(Fowler)
- P. palustre L. BR, Carl, DR, Dan, RSA, Matane (Forbes)
- E. palustre, var. nigridens St John (Côte Nord)
- E. litorale Kuhl.
- E. limosum L.

 GB(M), DaR, GR, LC, BR, D, NC, Strab, Bar, Mar,

 LMetis(Fowl.) AFP
- E. hyemale L., var. affine (Hngelm.) A. A. Baton PD, GR, N, LC, UK, Dak, GC, Fork, RSA, Carl,

E. hy., var. pumilum A.A. Eaton

E. yeriogetum Schleich. BR, DaR, DR, CR,

E. var., var. Jesupi A.A. Eaton BR,

E. scirpoides Michx. / / Com. Matane(Forb), T, Carl, LC. Lng-17

LYCOPODIACLAE.

Lycopodium Selago L. Lita, TT, Bic, Log, Har, Za

L. Sel., var. appressum Desv. Bic, Fort,

L. Sel., yar. patens Desv. RSA, Bic, TracMt, Perce,

L. lucidulum Michx.

L. luc., ver. porophilum (Lloyd&Underw.)
Clute
MtA(hornbl),

L. inundatum L.

L. annotinum L. Com. RBlanche(Forb), D. Bic.

I. an., var. acrifolium Fernald

L. an., var. alpestre Hartm, (White Mts.)

I. an., var. pungens Spring. TT, Alb(hornbl), Fort, Log. Thetal

L'an x clav

L. clavatum L. Com. N.T. RBlanche (Forbes), Salanche

L. cl., ver. monostachyon Grev. & Hook.)

- L. cl., ver. megastachyon Pernald & Biscell. D', 3ic, LC.
- L. obscurum L. Com. D', RBlanche, N', Bic. Fork
- L. obs., var. dendroideum (Michx.) DCEaton.
- L. sabingefolium /illd.
 - I. sab., yar. sitchense (Rupr.) Perns la
 - E. alpinum L. MtA(hornbl), TT, Log
 - L. complanatum L. I, RBlanche (Forbes) Carl, T, CC, Bic, N, LC, Percé, RSM hx-Smx.
 - L. compl., ver. flabelliforme Fernald D.N., Bic, NC,
 - L. tristachyum Pursh RRTanche (Forbes), GB(M), Bic,

SELAGINELLACEAE

Selaginella selaginoides (L.)Link, GK, LC, BK, Percé, Matr(M), MtA(serp)LT, TT, BI, Ykk, Ykk, Ykk,

S. rupestris (D.)Spring

Isoetaceae

Isoetes Braunii Pur.
TT, Point Pame (H), Grand Val(H), GB(H),

I. macrospora Dur.

TAXACEAE

Taxus canadensis Willd.

Pinus Strobus L.

GR, Bic, LC, BR, Yk, RSAscarce, RCC, Company of the Company of

P. Banksiana Lamb, Bic, 90-

P. resinose lit.

Larix laricing (DuRoi) Koch. Com. Atalb(hornb), LMet(Fowl), SteFelicité,

Picea canadensis (Hill.)BSP.
Com. Bic, Fort,

P. meriana (Mill.)BSP.

Abies balsamea (I.) Mill. Com. Percé, Bic, MtA(hornbl),

A. bals., var. phanerolepis Fernald. Perce, RCC, Log, Thuja occidentalis L.
Com. MtA(hornb), IMet(Powl), RBlanche (Forb),

T. mist P. Cap Pleus

Juniperus communis L., var. depressa Pursh . NC, Bar, Bic, Carl,

L. com., var. montana Ait.
Percé, Lita(serp), FT, Lag. Maia, M. C.

J. horizontalis Moench. NC, P, Bic, Carl, Percé, BI,

TYPHACEAE

Typha latifolia L. Carl, DaR, Bar, Bic,

SPARGANIACEAE

Sparganium eurycarpum ingelm. Bic,

S. americanum Nutt.

- S. chlorocarpum Rydb.
- S. chl., var. acaule (Beeby) Fernald
- S. angustifolium Michx. Com. GR, TT, RSA, LMet(Powl.)
- S. multipedunculatum (morong) Rydh,
 - §. fluctuans (Morong) hobinson
 - S. minimum Fries BR, GR.
 - S. hyperboreum Laestad.

POTALIOGRITORACEA 1

Potamogeton filiformis Lers.

P. fil., var. borealis (Raf.)St.John

- P. fil., var. Macouni' Morong,
- P. vaginatuer Turcz. (RE.I.,Lab.)
- P. pectinatus L. DR, Matane (Forhes), BR, N. Dar, Bar.
- P. Robbinsii Oakes
- >P. compressus L.
 - P. obtusifolius Mert. & Koch. PtFame(M).
 - P. loculosus Hagström.
 - P. foliosus Raf.
 - P. Friesii Rupr.
 - P. pusillus L. DR, Dak, 7

P. pus., var.tenuissimus Mert. & Moch. Crvalle(M), TT, RSA

P. dimorphus Raf.

P. epihydrus kaf.

2. gramineus L., var. graminifolius Pries.

P. alpinus Balbis.
D. BR, RSA, RCC 7000

P. amplifolius Tuckerm.

P. Matans L. GR, NC.

P. praelongus Wulf..

P. perfoliatus L.

P. Richardoni

- P. bupleuroides Fernald Dar, N. Bar,
- P. subnitens Hagstr. MataneR(Forbes),

3 .

- Ruppia maritima L., ver.obliqua (Schur.) Aschers. & Graebn.
 Bic,
- R. mar., var. intermedia (Thedenius) Aschers & Graehn. / Trois Pistoles.
 - iv. mer., var. brevicostris Agardh (Hagd.)
 - R. mar., var. longipes Hagst.
 - R. mar., var. rostrata Agardh.
 - R. mar., var. subcapitata Pern. & Wieg.
 - Zannichellia palustris L. (k.duL., Nfd.)

Z. pal., var. major (Boenn.) Koch. Bic, BR, DR, NC, DaR,

Der, Gr, NC, Bic, Carl, Percé,

. mar., var. stenophylla Aschers& Graehn.

NAJADACEAE.

Najas flexilis (Willd.)Rostk. & Schmidt.

Juncaginaceae

Scheuchzeria pelustris I., v.americana

Triglochin maritima L. Com. GR,

T. palustris L. Com. BR, GR, DR, Ms tane (Porbes)

ALISMACEAE.

Sagittaria latifolia Willd. BR,NR.PD,

S. cuneata Sheldon DaR BR, LC, Bic, YkR, Bar, N,

- , S. heterophylla Pursh (Mingan)
 - S. graminea Michx.

GRAMINEAE.

Bromus secalinus L.

Br. hordeadeus L.

- B. commutatus Schrad.
- B. ciliatus L.
- 3. ciliatus L., var. denudatus (Wiegand) Com.LC, YkR, LMet, DaR, RVal,

B. (Tabletop)

B. altissimus Pursh.

Festuca rubra L. Com. Carl, BR. Percé, LMet, GB, NC. N,

F. rub., var. prolifera Piper RSA,TT, Fort, And Jeg.

F. rub., var. megastachys Gaud. Perce, Bic, P, Rim, GR, BR. N.

F. rub., var. multiflora (Hoffm.) Aschers& Matane, Percé.

F. rub., var. densiuscula Hack. Percé,

F. rub., var. subvillosa Mert. & Koch. Perce. Capudins, N.

F. rub., var.glaucescens (Hegetachw.&Heer. Richter

J. rubs. a. Juncea (Hackel) Richter

F. ovina L.

F. ov., var. hispidula Hack.

F. capillata Lam.

F. provifolia RBr. Bic, TT, Fort, Ly

F. elatior L. Bic,

380

F. scabrella Torr. MtA(serp). matri

Glyceria melicaria (Michx.) Hubbard.

Glyceria canadensis (Michx.) Trin. Bar, Lacdes Am, Bic, Rim, D,

G. laxa Scribn.

G. nervata (Willd.) Trin. Com. RBlanche, Matane, NR, LC,

G. nerv. var. stricta Scribn.

G. grandis Watson Carl, LC, BR, DaR, GC, R3lanche (Forces), Bic, Bar, T, Percé, RAC

G. Fernaldii (Hitchc.) St. John. D. LC. NR.

G. fluitans (L.) RBr. Perce,

G. borealis (Nash) Batchelder IC, BR, GR, DaR, NC, GC, Perce, RSA, Rim, RCC,

Pleurapogon Sabinii R.Br.

Puccinellia distans (L.) Parl.

P. laurentiana Fern. & Weath. Carl. Bic,

P. macra Fern. & Waeth.

P.lucida Fern. & Weath. (Cacouna)

P. paupercula (Holm) Fern. & Weath. Matane (Forbes) Ada,

P. paup., vat. alaskana (Scribn. & Merr.) Com.DaR, LMet. Bic,

P. paup., var. longiglumis Fern. Weath. (PEI.)

Poa annua L. Com. Carl;

P. compressa L. Perce, Carl, BR, Bic, Rim, Yk,

P. sp. Bic.

P. eminens J.S. Presl. Bić, IM, Gr. Etang (M), T.

P. alpina L. Com. Mat, Iscum, GR, Bic, Percé, RSA, BI, NtA, (hornb. T. LC, RCC, A. A. T.

P. alp., ver. acuta ined. (lemmas elongate, RSA, LC, BR, TT, MtA, (hornbl.) RCC, Fort, Ch,

P. laxa Haenke, TT, Fort, Log, Mark

P. "Sandgergi", Trac Mt. Percé, Bic, StFab.

P. glauca Vahl. Com. P. Bic, TracMt, LC, BR, MtA(hornbl)N, Carl, Percé, RSA, Fort, Log,

P. nemoralis L. Com. BR, T, Ch, Carl, Bic, TT,

P. palustris L. Com. LMet, Yk, RSA, P.

P. pratensis (Complex) Com. and endless.

P. cemisia All MtA(hornbl) Logy Tort. The

P. costata Schumacher, RCC, Garage

P. trivalis L. Perce, Bic, BI.

P. saltuensis Fern. & Wieg. Com. RSA, GR, TT, Fort, RCC, Ja

P. salt., var. microlepis Fern, &Wieg. Com.RSA,GC,Carl,

P. (between prat. & salt. with small silvery spikelets)
TT.RSA.Log.

mtset.

Catabrosa aquatica (L.) Beauv. BR, Percé, ML, T, Bic, Capucins,

Phragmites communis Trin. DaR,

Dactylis glomerata L. NC, Rim, Bic.

Melica striata (Michx.)Hitchc. Com.GR,TT.Bic,Carl,MA(serp.)GR, 100 to.

Agropyron pungens (Pers.) R.&S.

Ag. pung., var. acadiense (Hubb.)Fern.

Ag.repens (L.) Beauv. Com. SandyB, P, Percé, LMet,

Ag. repens var.pilosum Scribn. BR, DaR, Yk,

Ag. rep. (glaucous)

Ag. caninum (L.) Beauv. Com. BR, RSA,

Ag. can., f.pubescens Pease & Moore BR, Bic, Assemet,

Ag. can., f. glaucum Pease & Moore

Ag. can., var. tenerum (Vasey)Pease&Moore Com. Percé, RSA, Matane, Rim, BR, Carl, LC, Bic, LT, MtA(serp.), MtA(hornbl.) CapRen,

Ag. can., var. ten., f.ciliatum (Scrib,&Sm.)
P.&M.

BR.

Ag.can., var. ten.,f.Fernaldii Pease&Moore

Ag. can., var. Hornemanii (Koch) Pease& Moore P.TT, MtA(serp), Fort, Page /

Ag. can., v. latiglume (Scrib.&Sm.)P.&M.(Lab.

Elymus virginicus L. RSA, DaR,

E. virg., var.submuticus Hook.

E. canadensis L. DaR,

E. arenarius L., var. villosus E. Meyer Com. on St. L.D., Bar, IMet, ML(M),

Hordeum boreale Scribn. & Sm. (Nfd.)

H. jubatum L. Com. Com. Bic, P, Yk, MartR,

Trisetum spicatum (L.)Richter, var. Maidenii (Gaud.) Fernald
TT. MtA(hornbl.)

T. spic., var.pilosiglume Fernald Perce, Bic, MtA (hornbl) MartR,

T. spic., var.molle (Michx.)Piper Bic, Mat, LC, RCC.

T. melicoides (Michx.) Vasey IC. Perce, MadelR(M), GC, BR, DR, RSA, MtA(hornbl) T.BI, RCC, M2-Long,

T. mel., var. majus (Gray) Hitchc. Assamet.

Sphenopholis pallens (Spreng.)Scribn. Mat. Bic, LC, Carl. BR, Percé, DR, RSA, Shig.

Deschampsia flexuosa (L.) Trin. Bic, Bar, D, RSA, MtA(serp.), Ldes Am, TT, Fort,

D. flex., ver.montana (L.)Perl.

D. cespitosa (L.) Beauv., var. glauca BR, LC, GC, RSA, MagdR(M),

D. cesp., var. alpine Vasey MtA(serp.), RSA,

D.cesp., var.longiflora (D.Bottnica)

D. atropurpurea (Wahlenb.) Scheele. MtA(hornbl.), TT, Fort, Log, Z.

Danthonia spicata (L.) Beauv. Com. Perce, RSA, Bic.

D. Thermalis Scribe.

D. intermedia Vasey, MtA(serp.), TT,

Calamagrostis canadensis (Michx.) Nutt.

Cal. can., var.Robusta Vasey Com.Bic.MtA(hornbl.) Matane, TT. LMet, RSA.

Cal. can., var. Langsdorfi (Link) Imman. BI, met. Lagr

C. neglecta (Ehrh.) G., M.&S., var.borealis Com.MtA(serp.)CapRos(M), BR.PD, N, BI,

C. purpurascens RBr. Bic,

C. hyperborea Lange Com.MtA(serp), BI, Percé, BR, TT, Bic,

Ammophila breviligulata Fernald, (Miscou I)

Agrostis alba L. Com. RSA, LMet, Matane,

A. alba, bar.maritima (Lam.)G.F.W.Meyer Bic, Carl, Rim,

A.capillaris L. (vulgaris) Percé NR.

A. capill., var.aristata(Parn.)

A. hyemalis (Walt.)BSP. Com.IMet,MtA(serp),RSA,Bic,Carl,NR,

A. hy., var.gemmata (Trin.) Hitchc. RSA, RBlanche (Forb), GC, LC, TT,

A. peremans (Walt.) Tuck. D, Grval(M), DR,

A. borealis Hartm. Com. MtA(hornbl), LC, TT, RSA, N, GC, RCC, Fort,

Phippsia algida (Soland.) R.Br. (Lab.)

Cinna latifolia (Trev.)Griseb. Com.LMet.MtA(hornbl.)Log.

Alopecurus pratensis L.

Al. geniculatus L.

Al. aristulatus Michx. Bic, IC, DaR, Rec

Al. alpinus L.

Phleum pratense L. Com.

Ph. alpinum L.
BR, RSA, MtA(hornbl.), TT, RCC, Fort, Assamet,
Joy Matr, Pember

Muhlenbergia sylvatica Torr.

M. foliosa Trin.

M. racemosa (Michx.) BSP. MadelR(M), TracMt, DR, BR, Assam, BR, Perce,

M. Richardsonis (Trin.) Rydb.

Sporobolus uniflorus (Muhl.) Seribn.

Dilepyrum erectum (Schreb.) Farwell RCC,

Milium effusum L. Com. LC, TT, MtA(hornbl.)Bic, GC, Log, RCC,

Oryzopsis pungens (Torr.) Hitchc. Bic.

O. canadensis (Poir.) Torr.

O. asperifolia Michx.
Magd.R(M), Bic, MtA(Serp), RSA, LdesAm, RCC.

Spartina Michauxiana Hitche. PD.N. Bic Carl DaR. T. Bar.

S. alterniflora Loisel. Carl, D. DaR.

S. patens (Ait.) Muhl. (Cacouna)

Hierachloe odorata (L.) Wahlenb., var.fragrans (Willd.) Richter. DaR.Rest, GR. Bic, N. MtA (serp.), TT, Rim, Ch. Mar, LMet, L. Mar.

H. odoratu

H. alpina (Swartz) Res. MtA(hornbl.), TT, Fort, Log,

Anthoxanthum odoratum L.

Phalaris arundinacea L.

Ph. arund., var. (Slender white fr.)

Ph. arund. var. (plump white fr.)

Ph. arund., var. (plump dark fr.) NR, RSA, LC, RCC, Lecrsia oryzoides (L.) Sw. DaR.

Panicum capillare L., var. occidentaleRydb. Carl.

P. boreale Nash.

Echinochloa crusgalli (L.) Beauv. P.

Setaria lutescens (Weigel Hubb.

S. viridis (L.) Beauv. Bic, BR, T,

S. vir., var. Weinmannii (R. & S.) Brand.

CYPERACEAE.

Dulichium arundinacum (L.)Britton

Eleocharis ovata (Roth.) R.&S.

- E. obtusa (Willd.) Schultes.
- P. palustris (L.) R.&S.
- 1. vigens (Bailey) Fernald ined.
- E. Smallii Britton
- M. ---- (compressed stem)
- 1. halophila Fernald ined. N. Carl, BR, DaR, T, Bic.
- R.acicularis (L.) R.&S. T.Carl.DaR. RCC
 - Grand Etang(M), NR, BR, GR, RSA, Carl,
 - E. nitida Fernald
- E. intermedia (Muhl.)Schultes. LC, BR, DaR,

Scirpus nanus Spreng. BR. DaR,

S. pauciflorus Lightf. f. PN. BR. Carl, NR. GR. DR, DaR, LATE

S. Clintonii Gray, Assamet.

S. cespitosus L., var. callosus Bigel. NC, GR, BR, NR, MtA(serp), LdesAm, TT, Fort, Log,

S. cesp., var.delicatulus Fernald.

S. hudsonianus (Michx.) Fernald NC. BR. NR, GR. Carl, Ldes Am. Bic, T. Rim, dece

S. rufus (Huds,)Schrad. Cap Rosier to Matane(M), PN, BR, Escum, N, LC, DR, DaR, Rim, T, Bic, Bar,

S. americanus Pers.

S. validus Nahl. NC, N, BR, DR, DaR, Bar, S. acutus Muhl. BR. Matane(F)

S. campestris Britton, var. paludosus
(A. Nelson) Fernald
DaR, Bic,

S. rubrotinctus Fernald Com. IMet, Matane, NR. CB, TT, Bic

S. atrovirens Muhl., var. georgianus (Harper) Fernald

S. pedicellatus Fernald

S. atrocenctus Bernald Com. Carl, Bic, RBlanche, NR, D,

Briophorum Scheuchzeria Hoppe.

E. Chamissonis C.A. Meyer MtA(serp), TT.

E. Cham., forma albidum (F.NYL.)Fernald

E. collitria Chem. Shig. TT, N, RBlanche (F), MtA(serp), StFab.

E. gracile Roth.

E. tenellum Nutt.

E. angustifolium Roth, Bic, MtA(serp), PD, Rim, Perce, BI.

H. ang., var. majus Schultes.

E. virginicum L.

Rynchospora fusca (L.) Ait. f.

R. alba(L.) Vahl.

R. capillacea Torr.

Mariscus mariscoides (Muhl.) Kuntze

Kobresia caricina Willd. (Nfd.)

Carex nardine Fries. (Lab.)

C. capitata L. (Mt. Washington)

C. gynocrates Wormsk. GR, Carl, NR, BR, T, BI, Matane, Grand Metis,

C. exilis Dewey GR. StFab(Wmson.)

C. scirpoidea Michx. GR.BR, Perce, DR, RSA, MtA(serp), TT.BI, Fort, Log. Log.

C. filifolia Nutt. (Lab.)

C. rupestris All.

- Ç. obtusa Lilj. (Nfd.)
- Com. GR, RBlanche, Bic Lag
- C. pulicaris L.
- C. microglochin Wahlenb. (Nfd.)
- C. pauciflora Lightf. Att Aug. MtA(serp), N, Shig, TT.
- C. incurva Lightf.
- C. chordorhiza Ehrh. GR, StFab (Womson.)
- C. vulpinoidea Michx. GR. Bic.
- Ç. rosea Schkuhr.

C. stipata Muhl. Com. LMet, Bic, Log, Log

C.diandra Schrank, NC.GR, LC, Carl, BR, D, NR, Bic, Bar, RoxR(M)

C. prairea Dewey

C. scoparia Schkuhr.

C. scop., ver. oubturbinata Gern. & Wieg.

C. scop., var. tesselata Fernald

C. projecta Mackenzie
Bic, NO, GC, MtA(hornbl), RCC, LMet, Matane,

C. Crawfordii Fernald Com. LMet, GB, RBlanche, N, Bic.

C. pratensis Dieg. TracMt.

- C. cumulata (Bailey) Mackenzie
- C. tincta Fernald
- C. tenera Dewey
- C. hormathodes Fernald BR. Bic, N, DaR, GB, Matane, Bar,
- C. silices Olney
- C. Merritt-Fernaldii Mackenzie
- C. Bebbii Olney Com. Bic, PN, NC, Carl, NR, Matane, RBlanche, RCC.
- C. Macloviana D'11rv.
- C. fornea Willd.
- C. foen., var. perplexa Bailey

C. leporina L.

C. aenea Fernald
Bic, N, NR, GC, LC, YR, MtA(hornbl.)RSA, Carl,

C. adusta Boott.

C. lagopina Wahlenb, MtA(hornbl.) TT

C. heleonastes Ehrh

C. glareosa Wahlenb.

C. glar., var. amphigena Fernald GrEtang(M). Escum, N,

C. norvegica Willd. N, DaR, Escum, BR, CapRos(M), Bic, GrEtang(M), Matane,

C. canescens L. Com. LMet, RSA, Log.

C. canesc., var. subloliacea Laestad. TT, Ldes Am, Bic MtA (hotnbl).

C. canesc., var. disjuncta Fernald D.DaR,

C. brunnescens (Pers.) Poir. Log, MtA(hornbl.) - M. Madr.

C. brun., var. kitihis (Price)

= C. canes. v. vulgaris.

Com. LMet, TT

C. tenella Schkukr. Com. Carl, LMet.

C. tenuiflora Wahlenb, NR.

C. trisperma Desw.

C. trisp., ver. Billingsii Knight

C. arcta Boott.

- C. echinata Murr. (Nfd.)
- C. ech., var. cephalantha Bailey
- C. ech., var. angustata (Carey) Bailey D.NC. Bic, LMet, Log, Mt. (serp), NR. ANGUSTATE
- C. sterilis Willd.
- C. interior Bailey NC. GR. Carl, BR. GC. NR. Percé, LT. Matane, Bic, BI. IMet. & Market
- C. Josselynii (Fernald)
- C. Wiegandii Mackenzie, ined.
- C. Dewey and Schwein. Com. Carl.GC.LC.
- C. Dew., ver. collectanea Fernald GC, GR, MtA(hornbl),
- C. bromoides Schkuhk.

- C. bicolor All. (Nfd.)
- 6. scopularum Holm.
- C. rigida Good. MtA(serp). Suf. matr. 77
- C.rigida, var. Bigelovii Torr. MtA(serp), TT, Fort, ML(M).

6. TTV

- C. lenticularis Michx. GB, CRos(M), TT, Bic, RCC, Zai,
 - C. lent., var. Blakei Dewey,
 - C. lent., var. albimontana Dewey
 - C. lent., var. eucycla Fern. & Wieg. (Nfd.)
 - C. aquatilis Wahlenb. Com. BR, NR, TT, ML(M), D. Matane, GR, Ag-300
 - C. aq., var. substricta Kukenth (big Am.)

TOV KINDY

C. Goodenowii J. Gay ML(M) Matane Bic Rim GB. C. Good., var. strictiformis (Bailey)

Kukenth.

C. stricta Lam. D. DaR.

C. stricta, var. decora Bailey

C. str., var. xerocarpa (Hart.Wright)
Britton

C. torta Boott, GC, Bic, RCC,

C. crinita Lam, MadeeR(M),Yk,GC,Rim,Bic,

C. crin., v.gynandra (Schwein.)Schwein.& Torr.

IMet, Bic, CapRos(M), RCC,

C. maritima O.F.Muell Scum, N.DaR, Bic, Perce, BI, Mar, Matane, Gratang(H), Yk,

C. marit., var. erectiuscula Fernald

C. subspathacea Wormsk. CapRos(M),

C. salina Wahlenb.

C. salina var.lanceata (Dewey) Kukenth. Rim (EB), Bic (Bartr), Capucin

C. salina var kattegatensis (Fries) Almq. DR, DaR, BR, Bic, N, T, Bar, SteFel, GB, LFoxR(M) Grval(M).

6. sal. vas. pseudofilipendula

BR, RSA, RCC. Store W. T. T. T. T. (about) Nexton

C. polygama Schkurh. NC. NR. Bar,

. C. stylosa C.A. Meger (Lab., Nfd.)

C. atratiformis Britton Com. GB, TT, LCC, BR, MtA(hornbl), Matane, RSA, GC, PD, RCC, Log, Ch, Matane,

C. Pallescens L. NC, GB, DaR, Rim,

C. albicans Willd. GC. Perce, RSA, Bic, RCC, T,

C. deflexa Harmen, BR, GB, N, GC, Perce, MtA(hornbl), RSA, TT, BI, Fort Lug matri Mich.

C.novaeQangliae Schwein. Carl.

Co, chivicala Jan Harth offer かんらりーデ

C. communia Bailey, N, TracMt, D, GC, RCC,

C. umbellata Schkuhr.

C. umb., var. brevirostris Boott. GC, LC, Bic, Rec

C. umb., var. tonsa Fernald Bic.

C. supina Wahlenb.

C. pedunculata Muhl. Cem. GR, N.NC, D, Carl, LC, BR, GC, MtA, RSA, Percé, RCC, 9 hi : 111

- C. concinna R.Br. GR, IC, BR, Perce, GC, RSA, TT, StFab, Bic,
- C. glacialis Mackenzie (Nfd.)
- C. eburnea Boott. Com. Carl, LC, GR, Bic, Matane, Shig, RCC,
- C. rariflora (Wahlenb.) Sm.
- C. limosa L. NC, MtA(serp), GR, N, BR, TT, Bar, Jag Trace
- C, paupercula Michx. MtA(serp), GR, Carl, NR, BR, D, TT, Rim, Log, & YC
 - C. paup., var. brevisquama Bernald
 - C. aurea Nutt. Com. NC, Rest. Bscum, RBlanche, Percé,
 - C. Hassei Bailey BR, GC, RSA,

- C. livida (Wahlonb.) Willd. vor. Rayana (Stw.) Jen.
- C. panicea L.
- Com. LT, TT, Carl, MtA(serp), GR, BI, Bic, NC.
- C. Crawei Dewey.
- C. katahdinensis Fernald.
- C. ormostachya Wiegand.
- C. leptonervia Fernald Com. MtA(hornbl.), Log, RCC, LMet, TT, Modifie
- C. plantaginea Lam.
- C. misandroides Fernald (Nfd.)
- C. gracillima Schwein. PD. scum, N, DaR, GC, Bic,

C. Srac., ver. humilis Bailey BR, Rim,

C. grac., var.macerrima Fern. & Wieg.

C. capillaris L. MtA(hornbl.), Perce, TT, BI, Log, Say, Vac

Com. LMet, RSA, Carl, LC, Rest, GR, GC, TT, Bic, NC.

C. debilis Michx., var. Rudgei Bailey NC, Carl, Rim,

C. arctata Boott. Com. Carl, Percé, LMet, MtA(hornbl)

+6. Knitskemie Der.

C. castonea Wahlenb, NC, BR, DaR, L'AnseaGriffon(M), LT, TT, RSA, BI,

C. scabrata Schwein.

C. Backii Boott. Bic, TracMt, Rec

C. Hornschuchiana Hoppe, var. laurentiana Fern. & Wieg. (Antic.)

Com. NR, Bic, BI, LMet, LC, DaR, GR, Carl, RBlanche, RCC, Acce Lago

C. fl., var. gaspensis Fernald BR, NR, BI, DaR,

C. crytolepis Mackensie

C. lepidocarpa Tausch.

C. Oederi Retz.

.

C. Oed., var. subglobosa (Nielichof.)
Richter. (Nfd.)

C. Oed., var. pumila (Cass. & Germ.) Fernald. BR.NC.DaR.NR.Rim.BI.Percé.Bar.

C. Pseudo-Cyperus L. NC, Bic, Carl, BR, GR,

C. hystericina Muhl. NR. BR, Bic,

C. Michauxiana Boeckl.

C. folliculata L.

C. intumescens Rudge.

C. Int., var. Fernaldii Bailey Com. LMet,GC,N,RCC.

Ç. lupupina Muhl.

C. retrorsa Schwein. Com. LMet.GR,N,

C. Tuckermani Dewey

d,

C. lurida Wahlenb.

C. oligosperma Michx.

C. miliaris Michx. LdesAm,TT. Logv

C. Frankris

Loge

C. rhomalea (Fernald) Mackenzie

C. rostrata Stokes Com. Bic, TT, GC, NC.

C. rostr., var. ambigus Fernald

C. rostr., var. utriculata (Boott) Bailey

C. vesicaria L. BR, GR, Mar.

C. ves., var. jejuna Fernald

- C. vesic., var. Raeana (Boott) Fernald
- C. saxatilis L.
- C. compacta R. Br.
- C. riparia Curt., var. <u>lacustris</u> (Willd.)

 Kukenth.
- C. lasiocarpa Ehrh.
- C. lanuginosa Michx.
- C. Houghtonii Torr. YR, Bic,
- C. hirta L.

ARACEAE

Arisaema triphyllum (L.)Schott.

A. triph, , var. Stewardsonii (Britton) Stevens.

Calla palustris DaR, GR', Percé, D, NR, Bff, LMet,

Symplocarpus foetidus (L.) Nutt. FP.

LEMNACEAE

Lemna minor L. Bic.

ERIOCAULAGEAE

Eriocaulon septengulare With.

XYRIDACEAB

Xyris montana Ries.

JUNCACEAE

Juncus bufonius Com. LMet.BI.BR.DR.

- J. buf., var. halophilus Buchenau & Fernald.
 NC, BR, DaR, Matane,
- J. trifidus I. MtA. TT, Fort. Lag' Vaillan
- J. trif., var. monanthus (Jacq.) Bluff & Fingerh.
- J. Gerardi Loisel.
- J. tenuis Willd. NC, Carl, LC, D, Bic, Mar. 7. 0.
- J. ten., var. Williamsii Fernald
- J. Dudleyi Wiegand Bic, NR, Carl, BR, RBlanche, RCC, T, LMet, Rim,
- J. Vaseyi Engelm, (Miscou), Natashquan)
- J. balticus Willd., var. littoralis Engelm. Com. Carl. IMet.

- J. balt., forma gracilis Buchenau & Fernald DaR,
- J. balt., var. stenocarpus Buchenau & Fern. BR. Bic.
- J. balt., var. melanogynus Fern. & Wieg. (Côte Nord).
- J. filiformis L. Com. GR, BR, Matane, TT, Zof.
- J. effusus L. (Nfd., N.S.)
- J. eff., var. compactus Lejeune & Courtois.
- J. eff., var. conglomeratus (L.) Engelm.
- J. eff., var. decipiens Buchenau,
- J. eff., var. costulatus Fernald
- J. ef., var. Pylaei (Lattarpe)Fern.&Wieg.

- J. eff., var. solutus Fernald & Wiegand
- J. brachycephalus (Engelm.) Buchenau
- J. brevicaudatus (Engelm)Fernald. DR. Carl.TT, MR. Jay,
- J. canadensis J. Gay.

.d

3.

- J. pelocarpus Meyer
- J. subtilis Meyer
- J. militaris Bigel.
- J. nodosus L. Com. RBlanche, Carl, LMetis, LC, Bic, April
- J. alpinus Vill. Carl,
- J. alp., var. insignis Tie. Com. Carl, GR, DaR, PN, DR, Bic, Mars.

J. articulatus L. Perce.

J. art., var. obtusatus Engelm.

J. triglumis L. (Nfd.)

J. longistylis Torr. (Nfd.)

J. stydius L., var. americanus Buchenau. BR, GR, TT,

J. castaneus Sm. TT, Log, Ly

Luzula saltuensis Fernald Percé,

L. parviflora (Ehrh.) Desv.

L. pary., var. melanocarpa (Michx.)

Com. MtA(serp), GC, Carl, RCC, Fort, may.

L. spicata (L.) DC.
MtA(hornbl), TT, Fort, Ch, Mari Lag.

L. campestris (L.) DC., v.comosa (Meyer)
Fern. & Wiegand.

L. camp., var. acadiensis Fernald

L. camp., var. multiflora (Ehrh.)Celak.

L. camp., var. frigida Buchenau Bic, L. camp. v. alpina Gausin

L. camp., var. pallescens Wahlenb. NR, LC, Giroux,

L. confusa Lindeb. TT. Fort, Log. Ly Mat

LILIACEAE

Tofieldia minima (Hill) Druce,

T. glutinosa (Michx.) Pers. GR, BR, DR, Percé, Rest.

Zigadenus chloranthus Richardson Com, Carl, R. Blanche, Perce, LMetis, T, Bic, Ch,

Veratrum viride Ait.
ML to Metis(M), Rest, N, Bic, RCC.

Allium Schoenoprasm L., v. sibiricum (L.)

Rest, LC, GC, BR, GR, DR, DaR, RSA, Bic, BI, Yk.

Hemerocallis fulva L. NC, NR.

Lilium canadense L. Rest,

Li croceum Chaix.

Erythronium americanum Ker.

Clintonia borealis (L.)Raf. Com. MtA(serp). Smilacina racemosa (L.) Desf. Trac Mt. (1800).

S. stellata (L.) Desf. Com. GR, GC, M

S. trifolia (L.) Desf. NC, MtA(serp), Carl, BR, GR, DaR, TT, Bic, RBlanche,

Maianthemum canadense Desf. Com. LMet, MtA(hornbl.)

Streptopus amplexifolius (L.) DC. Com. TT.MtA(hornbl.),

S. oreopolus Fernald, MtA(hornbl.), TT, Log,

S. roseus Michx. Com. IMetis, MtA(hornbl.),

Polygonatum biflorum (Walt.)Ell.

Convalaria majalis L.

Medeola virginiana L.

Trillium erectum L. N. 3 mi. up Marsouin (Bell).

T. cernum L. RSa, GR, N, Percé, DaR, GC, Bic, JacoHughes, RCC. Log, Miles

T. undulatum Willd. BR, GB, GC, Bic, Percé,

IRIDACEAE

Iris versicolos L. Com. LMetis.

I. setosa Pallas, var. canadensis Foster Com. Bic, Carl,

I. tenax Dougl. (Nfd., N.B.)

Sisyrinchium angustifolium Mill. Com. GR, LMetis, Bic, Carlt, GC, P, Percé.

S. montanum Greene. GR. LC. BR. Caret

S. septentrionale Bicknell (Nfd.)

ORCHIDACEAE.

Cypripedium parviflorum Salisb. GR, BR, Perce, Carl, Bic, BI, IMetis,

C. perv. var. pubescens (Willd.) Knight NC. GR. BR. Bic.

C. hirsutum Mill. (spectabile)

C. acaule Ait. (Côte Nord.)

Orchis rotundifolia Banks. Carl, BR, GR, LT, Bic, LMetis,

Habenaria viridis (L.) R.Br. (Nfd.)

H. bracteata (Willd.) R.Br. (Temisconata)

H. flava (L.) Spreng., var.virescens(Muhl.)

H. hyperborea (L.) R.Br. Com.LC, LMetis, BR. GR, Carl, Matane.

H. dilatata (Pursh) Gray Com. Carl, BR, GR, LT, LMetis, NR, HtA (serp), TT,

H. clavellata (Michx.) Spreng.

H. unalascensis (Spreng.) Wats. (Antic.)

H. obtusata (Pursh) Richardson Com. C, GR, GB, Matane, LT, MtA(hornbl), NC, Ank-AFK

H. Hookeri Torr.

H. orbiculata (Pursh) Torr. RSA; matu, Par.

H. macrophylla Goldie.

H. psycodes (L.) Sw. Rim, Bar, L. Matapedia (Bell), Pt. Fame to Fox R(M). Arethusa bulbosa L.

Spiranthes Romanzaffiana Cham. NC, GR, BR, LC?D, LMetis, Carl, RBlanche, T.

Epipactis repens (L.) Crantz (Antic.)

Com. 3R, Carl, N, Bic, GB,

E. tesselata (Loddiges) A.A. Eaton Carl, GR, Perce, MtA(hornbl.), LT, RCC, GB, ML-IMA RAA

E. decipions (Hook) Ames MtA, Bic, TrucMt, Perce, Marcouin(Bell), Log, Fort, GB. Acid, MK-XMY.

Listera cordata (L.) R.Br. Com. N.Carl, GR, Sandarte TI

L. auriculata Wiegand, LC, BR, GR, D, GC, Percé, RSA, T, RCC, Zap

L. convallarioides (Sw.)Torr. Perce, Bic, RSA, RCC, Log. Or la Corallorrhiza trifida Chatelain. Com. MtA(serp'), NC,

Com. Bic, Carl, NC, Petri

En - (onat spats)

C. striata Lindl. Perce, BI, 3 mi. up R. Marsouin (3ell).

Malaxis bracky hoda (hay) Armael Hierostylis monophyllos (L.) Lindl.
Bic, Carl, RR (rare), NR, T, BI, Ch, Mar, BBlanche,

M. unifolia *Michx. * BSP.
NC, Carl, NR, Br, GR, Percé, Bic, RBlanche.

Liparis Loeselii (L.) Richard PN, NR, BR, Carl.

Calypso bulbosa (L.) Oakes NC,GB,RSA,GR,BR,Bic,NR,Percé, Colored

16

Salix nigra Marsh.

S. alba L.

S. alba, var. vitellina (L.) Koch. NC, BR,

S. serissima (Bailey) Fernald (Antic.)

S. lucida Muhl.

he.

, 2

S. lucida, forma angustifolia (Anders.)
Com. Bic, 3R, DR, Carl, GR,

S. lucida, var. intonsa Fernald Com. GR, LC, RBlanche, RSA, BR, N.

S. longifolia Muhl. Rest, (JRC):

S. long., forma Wheeleri(Rowler)Schneider

S. reticulata L. "MtA" (Macoun)

S. vestita Pursh TT, Perca, Fort, Log, Lag.

S. vestita, var. psiliphylla Fern. &St. J. (Mingan).

S. leiolepis Fernald (Nfd.)

S. Uva-ursi Pursh
LitA(serp), TT, Fort, Log. 64, Manual 1

S. <u>Uva-ursi</u>, forma <u>lasiophylla</u> Fernald (Franconia)

xS. Peasei Fernald (White Mts.)

S. herbacea L. MtA(hornbl), TT, Top mater.

- S. anglorum Cham.
- S. angl., var. kophophylla Schneider (round-leaved)
 MtA(serp),
- S. angl. v. araioclada Schneider (large, Nislope)
 MtA(serp) Log, matr
- S. angl., var. antiplasta Schneider (narrow leaf)
- S. arctophy Pla Cockerell
- S. chlorolepis Fernald MtA(serp),
- S. chl., var. antimima Schneider. MtA(serp).
- S. gaspeensis Schneider. MtA(serp).

S. brachycarpa Nutt. MtA(serp),

S. glauca L., var. acutifolia (Hook.)
Schneider
MtA(M).

S. cordifolia Pursh MtA(hornbl),TT, Log. 4.

S. card. vas. Callicarpaea (Prants.) time.

S. cordif., var. Macounii(Rydb.)
Schneider, (Antic., Nfd.
S. Ladif. v. intonsa Firm.

· S. Caw, V. tonsa Fim,

S. cordata Muhl.

S. cord., var. Michauxiana Fernald, ined. Com. BR, LC, RSA, GR.

S. myrtillifolia Anders. GR, TT, NC.

S. myrt., var. brachypoda Fernald (Nfd.)

S. latiuscula Anders. (Nfd.)

- S. glaucophylloides Fernald Com. GR. DaR. BR. PD. Matane, Rest. N. LC.
- S. adenophylla Hook. (Lab.)
- S. pyrifolia Anders. BR. Bic, Lietis,
- S. obtusata Fernald.

d.

- S. calcicola Fernald & Wiegand
- S. laurentiana Fernald T. Mechin, RBlanche, Ste Fel. Jaco Hughes, Ch.
- S. candida Fluegge BR,GR,DR,T,RBlanche,Bar,
- S. can., var. denudata Anderss.
- S. n. Sp. (a carkes!). Deposes; foliage between Bebbianar calcicola: large persistent glundulas - sorrate stipules Frigo white-tomentose barrens, reas sea-level, Ingornachier Bay" aggy "Damp rocky investone barrens, reas sea-level, Ingornachier Bay" aggy

S. cryptodonta Fernald (Nfd.)

S. Acabrata Richardson Com. N.GR. Bic.

S. restr., var. luxurians Fernald Bic, LMetis, RSA, Mar.

S. Perce, Ch. Capreifolia Fernald

S. Bell. V. perroctrata (Rydb. / Schned.

gen 19. S. Bebt, var. projecta (Fernald) (IIId.)
"North, Wild Come, new Bayer Id. June 11, 1896" acm.
"Field, Middle arm, Buy 9. June 4, 1898" accid.

S. pedicellaris Pursh,

S. ped., var. hypoglauca Fernald

S. ped., var. tenuescens Fernald

S. hebecarpa (Fernald) MtA(hornbl), TT

- 8. ancoralis, n. sp. ines.!
 "Words, Mc Ivers Cove, Boy Isl. May 31, 1898" Wayh.
 - S. sericea Marsh,
 - S. coactilis Fernald
 - S. humilis, var. Keweenawensis Farwell
 - S. discolor Muhl. Com. Bic, Matane, MtA(hornbl.) Jaco Hughes, Santy Bay, To Roches,
- S. paralenca Fernald DR, Dar, GR, Rest,
- S. planifolia Pursh MtA(hornbl), TT, Log, Ly, My-htk,
- S. pellin Anderss. Com. BR, GR, D,
- S. pel., forma psila Schneider, Matane, GR, NR, Rcc
- S. viminalis L. Com. GR, Matane, RBlanck

S. argyrocarpa Anderss.

8. aufy x plantine

Populus tremuloides Michx. Com. Yk, LMetis, Bic.

P. trem., var. (heavy foliage) Bic.

P. grandidentata Michx.

P. tacamahacca Mill. Com. Matane, MtA(hornbl), Bic, LMetis, BR, in !

P. tac., var. Michauxi (Dode)Farwell

P. candicans Ait.

MYRICACEAE

Myrica Gale L. Com. LMetis.

M. Gale, var. subglabra (Cheval.) Fernald

- M. carolinensis Mill. (Miscou)
- M. asplenifolia L.

BETULACEAE

Corylus rostrata Ait. Com. Matane, Mar. 7000

Betula lutea Michx. f. GR, LC, BR, D, GC, Bar, RSA, LT, BI, RCC,

- 3. lutea, var. macrolepis Fernald
- B. populifolia Marsh.
- B. caerulea-grandis Blanchard (PRI.)
- B. caerulea Blanchard
- 3. papyrifera Marsh. Com. BR, Percé, Malb, LMet, TT,

B. pap., forma occidentalis (Hook.)

B. pap., var. (pendulous)

B. pap., var. cordifolia (Regel) Fernald Com. Mae, MtA(hornbl), Thank I am

B. pap., var. elobata (Fernald) Sargent MtA(serp)

A. pap., var. minor (Tuckerm.) MtA(serp), Lac des Am, Fort, A. marco

B. borealis Spach. (Antic, Mingan)

B. microphylla Bunge. MtA(hornbl&serp) 7 7 1111

B. pumila L.

B. glandulosa Michx.

- 3. glandulosa, var. sibirica (Ledeb.)

 Blake

 MtA(serp), TT, Try
- B. Michauxii Spach (Côte Nord).

Alnus crispa (Ait.) Pursh
TT, MtA(hornbl), Percé, Lac desA, Carl, L

A. cr., var. mollis Fernald Com. Percé, YK, RSA, T, GR, Matane, LMetis,

A, incana (L.) Moench., var. glauca Ait. Com. Yk, RSA, BR, RBlanche, Matane, LMet, GR, D,

A. inc., var. hypochlora Callier.

FAGACEAL

Fagus grandifolia Ehrh.

Quercus borealis Michx.f.

Ulmus americana L. Rest, N,GC, LC (mouth), YR, RCC,

Humulus Lupulus L. Bic, ML.

Urtica gracilis Ait. Com. Dar, Ch Jan. 77

U. Tyellin Wats.
Percé, Man Cyllin

U. dioica L. Yk, GB(M),

U. urens L. P.NC, BR, GR, Rim, CC

Laporté canadensis (L.) Gaud. Rest, N. Carl, GC.

SANTALACEAB

Comandra Richardsiana Fernald GR. Bic, LitMetis to RSA.

C. livida Richardson Com. GR, BR, NC, Town Jan. Sep. 77

LORANTHACEAE

Arcenthobium pusillum Peck. RSA, RCC, Aradar.

ARISTOLOCHIACEAE

Asarum canadense L.

POLYGONACEAE

Oxyria digyna (L.) Hill. MtA(hornbl), TT, Fort, Log.

Rumex Patientia L.

R. occidentalis Wats. NC, N, Carl, BR, GR, DR, Bic, Matane,

R. Britannica L. LC. GR. Carl. BR. Bic. BI, Percé,

R. crispus L. Com. Carl,

R. pallidus Bigel.

R. mexicanus Meisn. Com. Dar, Bic, P, LMetis,

R. obtusifolius L. Rest. BR, Perce, Yk, Bic, BI, LMetis,

R. persicarioides L. (Temisc.)

R. maritimus L., var. fueginus (Phil)
Dusen. (Magd.)

R. Acetosa L. BI, LMetis,

R. Acetosella L. Com. IMetis.

R. bucephalophorus

Polygonum viviparum L. Com. Perce, Pte Seche, Bic, TT, MtA(hornbl), GR, PD, LC,

- P. viv. var. alpinum Wahlenb. BR, N. TT. Perce.
- P. lapathifolium L.
- P. lap., var. ovatum A.Br. (Magd.)
- P. scabrum Moench. Gr.Perde, D., GB, FP, T., Bic, LMetis,
- P. amphibium L. GR, Bic,
- P. amph., var. Hartwrightii (Gray)Bissell GR,
- P. Muhlengergii (Meisn.) Watson
- P. Hydropiper L. NC, 3R, Percé, D, GB, Bic, LMetis,
- P. Persicaria L. Bic, BR, Perce, GR, D, GB, T, BI, IMetis,

P. Raii Babington

P. boreale (Lange) Small, (Nfd.)

P. Fowleri Robinson Com. Yk, Bic, IMetis, FP, Carl, T.

P. achoreum Blake,

P. allocarpum Blake.

P. aviculare L. Com. GB, IMetis, P. Giroux, PN, Yk, Carl.

P. avic., var. littorale (Link) Kich

2. sagittatum L. NC, CapeCove, BI, Bic,

P. Convoloulus L. Com. LMetis, Carl

P. cilinode Michx; Carl, BR, DaR, GC, ML, Bic, MetapediaR,

Fagopyrum vulgare Hill. Percé, D. T. Bic.

F. tataricum (L.) Gaertn. NC, BR, Yk, ML.

CHENOPODIACEAE

Chenopodium capitatum (L.) Watson Bic Carl.

C. rubrum L. (NB)

C. hybridum L. Bic, Apr

C. Vulvaria L. Yk.

Com. L.

C. alb., ver. integerrimumeS.F.Gray (C. lanceolatum Muhl.)

Ç. paganum Reichenb.

C. murale L. Yk.

Atriplex maritima Hallier (NB., Magd.)

A. glabriuscula Edmonston.

A. patula L. Perce, GR.

A. pat., var. hastata (L.) Gray Com. LMetis, Yk.

Salicornia europea L.

S. eur., var. prostrata (Pall.)Fernald. NC, Bic.Carl.D.DaR.

Suaeda maritima (L.) Dumort. Carl. PN.

S. americana (Pers.) Fernald

Salsola Kali L. Carl BR Bic P. Bar GB. T.

S. Kali, var. caroliniana (Walt.) Nutt.

ayinis ...

AMARANTHACEAE

Amaranthus retroflexus L.

A. hybridus L.

A. YK

CARYOPHYLLACEAE

Spergularia rubra (L.) J.&C.Presl. GB, YK,

S. salina J.& C.Presl. Bic.

S. leiosperma (Kindb.) F. Schmidt.

S. canadensis (Pers.) G. Don. NC, P. Carl, DR, DaR, YE, FP, Bic, Capucin, Metant, IMetis. TV Spergula arvensis L. Com. IMetis, Matane, YK,

Sagina procumbens L. Com. NC, Bic, LMetis, SandyB,

Ş. proc., var. spinosa Gibson

S. proc., var. compacta Lange.

S. saginoides (L.) Dalla Torre MtA, RSA,

S. nodosa (L.) Fenzl. Hopetown, PD, BR, N, Carl, Bar, T, Bic, Percé, Matane A

Arenaria groenlandica Retz.

A. dawsonensis Britton(A.litorea Fernald) Carl, BR, StFab,

A. verna L., var. pubescens (Cham. & Schl.)

Perce MtA(serp), BI, Fort, StFab,

A. vern. v. pub., forma epilis Fernald Perce, MtA(serp), BI,

A. marcescens Fernald MtA(serp);

- A. sajanensis Willd. MtA(serp)
- A. peploides L. (Magd.I.)
- A. pep., var. maxima Fernald. (Nfd.)
- A. pepl., var. robusta Fernald NC,FP,ML,T,Bic,Ch,NC,LitFoxR,(M),IMetis,7
 - A. cylindrocarpa Fernald MtA(serp), mata, Log
- A. lateriflora L.
 P.Carl, Bic, Escum, Perce, D, T, Marsouin R (Bell),
 BI, RBlanche,
- Stellaria horealis Bijel.
 MtA(hornbl),D,Log, Jag Jag nik TT
- S. bor., var. isophylla Fernald GR, Carl,
- S. bor., var. floribunda Fernald
- S. bor., var. Bongardiana Fernald Bic, Ch, TP
- S. uliginosa Murr.

- S. ccassifolia Ehrh.
- S. humifusa Rottb.

S. florida Fisch.

S. longines Goldie.

S. long., var. laeta (Richardson) T.&G. P, Carl, BI, T, Log, Xay

S. long., var. Edwardsii (R.BR.) Watson

S. grammea L. Bic, DaR.

S. media (L.) Cyrillo. Com. Matané. IMetis. P.

Cerastium arvense L.
Bic, FP, Perce, MtA(serp), BI, T, Mars, Zap

C. alpinum L. (Nfd.)

C. alp., var. lanatum (Lam.) Hegetschw. (Nfd.)

C. Beeringianum Cham. & Schl.
Bic, Perce, T, CapGaspe(M), PetitePortage (M),
Log, Mar, Ch, StFab, MartR.

- C. Fischerianum Seringe.
- C.terrae-novae Fernald & Wiegand (Nfd.)
- Com. T, LMet, Miguasha (F)
- C. cerastioides (L.)
 - Agrostemma Githago L. Carl.T,
 - Lychnis alpina L. MtA(serp), RSA,
 - L. Flos-cuculi L.
 - L. alba Mill.
 - Silene noctiflora L. Beeg, Gc, T, D,
 - 3. latifolia (Mill.) Britten&Rendle. Com. Bic, Carl, Litket, Higuash,
 - S. acaulis L., var. exscapa (All.)Dc. MtA(serp), Fort, Log, X, TT

Saponaria officinalis L.

S. Vaccaria L. Lit.A.TT.Fort.Log,

Dianthus barbatus L. T. Bic,

PORTULACACEAE

Montia rivularis Gmel.(NB)

M. lamprosperma Cham. Com. PtN, BR, DaK, Bic, T, Percé, SandyB,

Claytonia caroliniana Michx. Cape Despair (Ells.) Log' ha.

CERATOPHYLLACE AE

Ceratophyllum demersum L. (PEI)

NYMPHARACHAE

Nymphozanthus variegatus (Engelm.) Fernald Rest, N, GR, NC.

N. rubroidiscus (Morong)Fernald NC. MtA(serp) TT. N. microphyllus (Pers.)Fernald MetR(M).TT.

Nymphaea odorata Ait.

RANUNCULACEAE

Ranunculus aquatilis (complex)

R. hederaceus L. (Nfd.)

R. Cymbalaria L. Com. Bic, Lifetis, Carl,

R. Purshii Richardson BR. Matane

R. hyperboreus Rottb. (Côte Nord)

R. lapponicus L. (Lab.)

R. reptans L. Com. Ldes Mm, TT, RCC, Mars, GR, La

R. reptans, v. ovalis (Bigel.) T&G. Com. GR.

R. nivalis L. (Lab.)

R. Allenii Robinson MtA(hornbl.) TT

R. pygmaeus Wahlenb. MtA(hornbl.)

R. pyg., var. petiolulatus Fernald MtA(hornbl.)

R. pedatifidus J.E.Sm., var., leiocarpus (Trauttv.) Fernald (Lab.)

R. abort., var. eucyclus Fernald Com. MtA(hornbl.), LC, Bic, GC,

R. sceleratus L. G3(M), Bic, Cape Cove, Perce, Luetis,

R. recurvatus Poir.

R. pennsylvanicus L. f. BR, GB(M), Bic,

R. Macounii Britton Magd R(M), BR, DaR, Mars, Kar

R. septentrionalis Poir Com. GR. Matane, N. GC.

R. repens L. Carl, Miguasha, LMetis,

R. rep. var. glabratus DC. IMetis, Carl, 460.

R. rep., var. erectus DC.

R. rep., var. villosus Lamotte.

R. rep., var. linearilobus DC.

R. acris L. Com. LMetis, Bic, Carl,

Thalictrum alpinum L. GR, Perce, BI. YR, J.

T. confine Fernald Bic, Carl, ML, Ch, RBlanche, SteFelicite, Cap au Renard, LMetis,

T. polyganum (Complex)

- Anemone parviflora Nichx.
 DaR(M), MagdR(M), GR, BR, RSA, MtA(hornbl),
 Percé, GC, YkR, TT, BI, Log, Ch, Val.
- A. multifida Poir., var. hudsoniana (DC.). BR. Matapedia. Bic, mela
- A. multif., v. huds.,f, sanguines (Richardso Fernald.

 GR. BR. Dar. Metapedia.
- A. multif., v. huds., f. polysepala Fernald. GR.
- A. mult., var. Richardsiana Fernald GR, BR, Matapedia,
- A. mult., var. Rich., f. leucantha Fernald.
- A. riparia Fernald Com. RCC, Assamet, GR, BR, DR, Perce, LC, DaR, Matapedia, Rcc
- 1. rip., forma inconspicua Fernald.

A. rip., forma rhodantha Fernald.

A. canadensis L. Com. BR, RBlanche, LMetis, Bic. Jaco Hughes, Ch. Con Plum

A. quinquefolia L. Gr (Rich.), Bic,

SC

Clematis virginiana L. N, NR, LC, RCC, 700

C. verticellaris DC, GR, Trac Mt, BR, RCC,

Caltha palustris L. Com. GR, RCC, Fink-18th

Coptis trifolia (L.) Salisb. Com. LMetis, MtA(hornbl.),RCC,

Aquilegia canadensis L. Bic,

A. vulgaris L. Bic, GB, N, Carl, Lithet. — Matane,

Actaea rubra (Ait.) Willd. Com. Bic, Carl, LMetis, RSA, GR, Percé, 8

1. rubr., forma neglecta (Gillman)Robinson Com. Carl, LMetis.

PAPAVERACEAE

Sanguinaria canadensis L. Metapedia R (M),

Papaver. Rhoeas L. Carl.

P. somniferum L. Cape Cove.

FUMARIACEAE

Adlumia fungosa (Ait.) Greene

Dicentra Cucullaria (L.) Bernh.

D. canadensis (Goldie) Walp.

Corydalis sempervirens (L.) Pers. Bic, Trac Mt, Yk, RSA.

C. aurea Willd. Bic, Rest R(Bell).

Fumaria officinalis L. Bic,

CRUCIFERAE

Sisymbrium altissimum L.

S. officinale (L.) Scop.

S. off., var. leiocarpum DC.

Descurainia sp. (Sisymb. brachycarpon Richardson)

D. Hartwegiana (Wats.) Britton BI, MartR,

D. Sophia (D.) Webb. Mouth of Magd.R(M). Subularia aquatica L. TT, Ldes Am,

Lepidium sativum E. GR, T,

L. apetalum Willd.

Bic, Matane, Grosses Roches, R3lanche, AP

L. ruderale L.

Coronopus didymus (L.) Sm. YK,

Thlaspi arvense L. Com, IMe tis, RBlanche,

Cochlearia cyclocarpa Blake (Coté Nord)

C. tridactylites Banks. (Antic., Magd.)

C. fenestrata R.Br. (Lab.)

C. officinalis L. (Lab.)

C. groenlandica L. (Zak.)

Lutrema Edwardsii R. Br. (Lab.)

Cakile edentula (Bigel.) Hook. Com. LMetis, P, RBlanche, D, Carl,

Brassica campestris L. NR.D. Percé,

B. nigra (L.) Koch

B. juncea (L.) Cosson. Matapedia Ch.

B. arvensis (L.) Ktse. IMetis, YK, Tond AP

B. arv., var. Schkuhriana (Reichenb.)

Diplotaxis muralis (L.) Dc.

D. erucoides DC. Yk.

Raphanus Raphanistrum L. P, Carl, GR, Perce,

R. sativus L. Carl.

Barbarea vulgaris R.Br.

B. vulg., var. longisiliquosa Carion.

B. vulg., var. brachycarpa Rouy&Foucaud (Antic.).

B. orthoceras Ledeb.

Roripa Nasturtium-aquaticum (L.) Schinz & Thell.

- R. Armoracia (L.) Hitchc. PO, Bic, LMet-T,
- R. sylvestris (L.) Bess.
- R. palustris (L.) Bess.
- R. pal., var. hispida (Desv.) Rydb. StFab.
- Cardamine bellidifolia L., var. laxa Lange.
- C. pratensis L.
- C. prat., var. angustifolia Hook. (Lab.)
- C. prat., var. palustris Wimm. & Grab. DaR. NR.
- C. pennsylvanica Muhl. Com. RSA, TT, MtA(hornbl.) YR, N, DaR, GR, Log, Ch, Log.

Dentaria diphylla Hichx. RCC, GR, N, BR, GC, Percé, R ...

Lesquerella arctica (Wormskj.)Wats.
(Nfd., Antic.)

Hutchinsia procumbens (L.) Desv. (Nfd.)

Capsella Bursa-pastoris (L.) Medic.

C. rubella Reut. GB, YK, Percé,

Camelina sativa (L.) Crantz. Yk,

C. microcarpa Andrz.

Neslia paniculata (L.) Desv. Bic Carl Mechins CC Mar,

Draba stenoloba Ledeb. (Lab.)

D. crassifolia Graham (Lab.)

D. alpina L. (Lab.)

A. Oliforperma Cap Rome (25 P)

D. fladnizensis Wulf.

D. nivalis Lilj. Fort. Log MartR.

D. Lutrola Greene Bic,

D. incana L. Perce, BI,CC,

D. inc., var. confusa (Ehrh.) Poit

D. stylaris Gay. A ny Sp.

D. megasperma Fernald & Knowlton P. Gros Crapaud, Capucin,

D. arabisans Michx.
Perce, carl, Bic, StFab, GR, Ch, Mechins,
Grooses Roches.

- D. arab., var. orthocarpa Fernald & Knowlton Bic.D. Perce, Carl, Mechins, T, LittleR.
- p. pycnosperma Fernald & Knowton Perce, BI.
- D. hirta L.
 Bic, Grosses Roches, Ch.T.
- D. Slabrows Water
- D. rupestris R.Br. (Nfd.)
- D. anctica Vahl.
 Log. (Big Gully), march of the Sand

Arabis humifusa (J. Vahl) Wats. (Lab.)

- A. glabra (L.) Bernh.
- A. hirsuta (L.) Scop.
 Com. GC, BR, PD, Matapedia, LC, Bic, W, GK, Perce,
 Carl, RCC, Marth, Rr, 27, 2
- A. alpina L. TT, MtA (hornbl), RSA, GC, Ch,

- A. brachycarpa (T.&G.) Britton Carl, NC, Bic, RCC, MagdR(M), Apr MASA
- A. sp. (slender-podded brachycarpa)
 Bic.
- A. Collinsii Fernald Bic,

n

- A. Holboellii Hornem. Bic, Eng. Rosus
- A. Drummondi Gray.
 Bic, Capucins, RSA, Mars, Log. 4
- 1. Drum., var. connexa (Greene) Fernald, (Temisc., Magd.)
 Bic, Matri
- Erysimum cheiranthoides L. Com, BR.
- E. asperum (Nutt.) DC. (Antic.)
- Braya purpurascens (R.Br.) Bunge. (Lab.)

3. humilis (C. A. Meyer) Robinson (Antic)

Hesperis matronalis L. Perce;

Conringia orientalis (J.) Dumort. Rim, TV

SARRACENIACEAE.

Sarraconia purpurea L.
GR,N, BR,NR,MtA(serp), StFab, T(Bell),

DROSERACEAE

Drosera rotundifolia L. Com. GR, Carl, LMetis,

D. rot., var. comosa Fernald

P. anglica Hudson.

D. longifolia L.

D. linearis Goldie.

CRASSULACEAE

Tillaea aquatica L.

Sedum acre L. LMetis, RBlanche,

S. villosum L. (Côte Nord).

S. triphyllum Haw. LMetis.

S. roseum (L.) Scop. (Cote Nord).

SAXIFRAGACEAE

Saxifraga rivularis L.

S. cernua L. Log, Ch, 700

Sicen phlese

- S. caespitosa L.
 BI. Bic, T, Capucin, Grosses Roches, StFab,
 Perce, Log, Fort, Ch, Mar,
- S. stellaris L. (Lab.)
- S. stel., var. comosa
- S. hieracifolia Waldst. & Kit. (Lab.)
- S. nivalis L. (Lab.)
- S. nivalis, var. labradorica Fernald.
- S. gaspensis Fernald.
- S. virginiensis Michx. Bic,
- S. aizoides L. SK, Percé, TT, BÍ, ML, Indian Cove(M), MagdR(M), L. KPV

- S. tricuspidata Rottb. (Lab.)
- S. Hirculus L. (Lab.)
- S. Aizoon Jacq.

 RSA, TT, Bic, Cap BonAmi(II), Perce, Tracht,
 BI, Fort, Ch, Mar, Zag, Zarla, Arch. Til.
- S. oppositifolia L. Perce, TT, BI, Log, Gulf of StL. (Goldie)
- Mitella nuda L. Com. Perce, Bic, MtA(hornbl), Matane, GR,
- Chrysosplenium americanum Schwein. Com, MtA(hornol), Log, 77
 - Parnassia Katzebuei C.&S.
 MtA(hornbl/LC, BK, DR, DaR, GC, RSA, TT, Percé, Lag'
 - P. parviflora DC, Com, Perce, Carl, DK, Matane, LMetis, BR, T, PtN, LC, MartR, SandyBay,
 - P. palustris L. (Lab.)

P. caroliniana Michx. Rest, GR, BR,

Ribes hirtellum Michx. Com. D, EMetis, Bic, Carl, NC, Percé,

R. hirt., var. calcicola Fernald Carl, Perce, BR, Tracht, NR,

R. hirt., var. saxosum (Hook.) Fernald Perce, T, Bic, BI.

R. Grossularia L.

R. americanum Mill.

R. nigrum L.
Bic, -RSA escape, BI, IMetis,

R. lacustre (Pers.) Poir. Com, Carl, MtA(hornbl.) GR, RSA, Matane, LMetis, Percé, Bic,

R. glandulosum Crauer (R.prostratum L'Her.) Com. Matane. R. rubrum L. Bic.

R. triste Pall.

R. tr., var. albinervium (Michx.) Fernald Com. Carl, Bic, Percé,

ROSACEAE.

Spiraea latifolia (Ait.)Borkh. Bic,

S. lat,, var. septentrionalis Fernald

S. tomentosa L.

Sorbaria sorbifolia (L.) A.Br.

Sorbus melanocarpa (Michx.)

S. americana Marsh. Com.

S. dumosa Greene Com. Yk, Perce, MtA(hornbl.), Bic, LMetis,

S. Aucuparia

Amelanchier sanguinea (Pursh)DC...var. gaspensis(Wiegand) 7 (Martane, GR, Oect, N, Tracht, LC, GC, NL, T, 3I, Martane, GR, Oect, N, Tracht,

A. stelonifera Wiegand

A. Fernaldii Wiegand

A. intermedia Spach.

A. laevis Wiegand. RSA,GC,DeR,Bic,Carl,N,RCC,

Com. GR, Bic, TT, MtA(hornbl),

Critaegus laurentiana Sargent

Fragaria virginiana Duchesne. Com, Bic, LMetis.

F. virg., var. terrae-novae (Rydb.)

Fern. & Wiegand,

Com.Perce, Bic, Carlt, TT, GR, RSA, N,

F. multicipita Fernald.

F. vesca L. Bic;

F. vesc., var. americana Porter. Com. Bic, GR, BR, Matane, N,

Sibbaldia procumbens L. MtA(hornbl),TT, Lag

Potentilla fruticosa L.
BR, GR, DR, TracMt, NR, Perce, DaR, RSA, MtA(serp),
TT, BI, Fort,

P. frut., var. tenuifolia Lehm.

P. palustris (L.) Scop. NC, ED, Bic, BR, D, TT, PN, ?. pal., ver. parvifolia (Raf.) Fernald & Long.

P. pal., var. villosa (Pers.) Lehm. Bic.

P. tridentata Ait.
Com. P, Carl, RBlanche, GR, LMetis, TT, MtA(hornbl);

P. arguta Pursh. Rest.

P. pectinata Raf. Com.on coast. IMetis, Percé, Carlt, Malb, T, RBlanche, Bic, Grosses Roches, Ch, Mars,

P. nives I.
Bic, Perce, TT, Fort, Ch, Jakobard, P. nives, v. macrophylla Seringe

P. argented L.

P. recta L.

P. norvegica L.

- P. norv., var. hirsuta (Michx.) Lehm.
- P. norv., v. hirs., forma labradorica (Lehm.)
 Th. Wies.
 P, Log, Mars, MartR,
- P. intermedia L.
- P. fragiformis Willd.
- P. Ranunculus Lange (Lab.)
- P. Robbinsiana Oakes.
- P. emarginata Pursh (Lab.)
- P. adpestris Hall.f. (P.maculata).(Nfd.)
- P. procumbens Sibth.
- P. canadensis L., var. simplex (Michx.)

P. Anserina L. Com. P.IMetis.

P. Ans. var. sericea Hayne.

P. Egedii Wormsk. (Lab.)

P. pacifica Howell. Com. Bic,

Filipendula Ulmaria (L.) Maxim. D', Rest.

Geum canadense Jacq.

G. can:, var. camporum (Rydb)Fern&Weatherby

- G. virginianum L., var. Murrayanum Fernald.
- G. macrophyllum Willd. Com. DaR, TT, GC, MtA(hornbl), Log, day.
- G. rivale L. Com. MtA(hornbl & serp).GR.
- XxG. pulchrum Fernald Bic,

Dryas integrifolia Vahl.

- D. integr., forma canescens (Simmons)
- D. Drummondii Richardson GR, DaR, LC, 3R, DR, RSA, Matane

Rubus idaeus L.

by

R. id., var. strigosus (Michx.) Maxim. Com. P. Bic, MtA(hornbl.), Log, T.

R. id., var. canadensis Richardson. Percé, Bic, LMetis, Kir.

Nac. Encyclas Frm. Wibeath,

R. Chamsemorus L. PD FP, TT, StFab, Log, Matane, Fort,

R. pubescens Ruf. Com. Lietis, litA(hornbl.), GR, TT, Maker

R. arcticus L. MtA(hornbl.& serp. / TT, GR. Jrj

R. arct., var. grandiflorus Hot. = R. acaulis My,

R. arct. X pubescens MtA(hornbl.),TT,GC,GR,

R. canadensis L. Matapedia R.

Dalibarda repens L.

A. vulg., var. filicaulis (Buser)Fern.& Wiegand.

A. vulg., var. vestita (Buser) Fern. & Wieg.

A. vulg., var. grandis Blytt. IMetis,

A. alpina L.

Agrimonia striata Michx. Com. BR. DaR.

Sanguisorba canadensis L. Com. near coast. LMetis, DaR, GR, FD.

S. can., var.latifolia Hook. (Antic.)

Rosa acicularis Lindl.

R. acic., var. Bourgeauiana Crepin.

R. blanda Ait.
Com. GC, Percé, RSA, Bic, Carl, Matane, P,
Tem L' mtsp

R. Williamsii Fernald Bic,

R. johannensis Fernald.

R. spinosissima L.

R. cinnamomea L. Percé, StFab,

R. Eglanteria L. P.NC. Bic,

R. nitida Willd.

1

R. palustris Marsh.

R. virginicus Mill. Dar, Yk. R. carolina L. = R. humilis Marsh.

Prunus seratina Ehrh.

P. virginiana L. Com.

P. denyste mx-49k PF

P. pennsylvanica L.f. Com. Matane, LMetis,

P. depressa Pursh. GR, Rest, BR, DR,

LEGUMINASAE.

Prifolium arvense L.

T. pratense L. Com. LMetis,

T. prat., var. frigidum Gaudin. Yk.

T. repens L. Com. LMetis, Carlt,

T. hybridum L. Com. LMetis.

T. agrarium L. MartR. Rcc.

T. procumbens L.

Melilotus alba Lam. P, Carl, FP, CC,

Medicago sativa L.

M. lupulina L. Giroux, BR, Matapedia, Carl, Yk,

M. hispida gaertn.

M. sphaerocarpa Bertol.

Astragalus alpinus L. (Nfd.)

A. alp., var. Brunetianus Fernald.

- A. Blakei Eggleston
- A. frigidus (Richardson) Gray, var. americanus (Hook.) wats. LC. BR.
- A. neglectus (T.&G.) Sheldon GB.(M).
- A. eucosmus Robinson
 RSA(N).Rest, BR, MataneR(Allen), A
- a clorignum Rickardson
- Oxytropis campestris DC., var. caerulea Koch.
 Bic, BI, GR, CapSt, Louis(M),
- O. camp. var. johannensis Fernald
- Q. viscida hutt. gasper sist million;

Hedysarum alpinum L. (Nfd.)

- H. alp., var. americanum Michx.=

 BR.GR.Rest.Bic, Perce, DR.GC, 31, Ch, Stsimon,

 RPV A
- H. Mackenzii Richardson (Mfd.)

Desmodium canadense (L.) DC.

Vicia sativa L. Com. PD,

V. angustifolia (L.) Reichard. Giroux, Percé, P. Carl, BR.

V. ang., var. segetalis (Thuill.) Moch. Com. Matane, Giroux,

V. ang., var. uncinata (Desv.) Rouy & Foucaud.

W. tetrasperma (L.) Moench. Giroux, P. Carl. Bic.

V. hirsuta (L.) Koch, Giroux, Garl, Yk,

V. Cracca L. Com. LMetis, Bic, P, Matane,

Lathyrus maritimus (L.) Bigel. Com. GR, Metis, P.

L. marit., var. glaber (Seringe) Names.

L. palustris L.

L. pal., var. macranthus (T.G. White)
Fernald.

L. pal., var. pilosus (Cham.) Ledeb. PD, NC, BR, Ch,

L. pratensis L.

LINACEAE

Linum usitatissimum L.

OXALIDACEAE

Oxalis montana Raf. Com. GR.TT,

Q. europaea Jord. NC.Carl, BR, GR, Rim, Bic.

GERANIACEAE

Geranium pratense L. NC. to PD.

G. Robertianum L. Percé.BI.

G. Bicknellii Britton P.Bic, Carl,

Arodium cicutarium (L.) L'Her. Carl.FP.

E. moschatum Willd. Yk.

POLYGALACEAE

Polygala paucifolia Willd.

Euphorbiaceae

Rest. Wiegand

E. Helioscopia L. Com. Carl, LMetis, RBlanche, 1914,

E. Cyparissias L.

CALLTTRICHACEAE

Callitriche palustris L. Com. Bic, NR, 1864/

C. anceps Fernald. LdesAm, TT, A. 1. 2000

C. hermaphroditica L. (Nfd.)

EMPETRACEAE

Empetrum nigrum L.

GR, Bic, BR in bog, Bar, MtA(hornbl), TT,
LdesAm. BI, Fort, Log, Ch(local), Mar,
RBlanche,

E. nigr., forma purpureum (Raf.) Fernald Fort,

E. atropurpuream Fern. & Wieg.

2. Eamesii Fern. & Wieg.

ANACARDIACEAE

Rhus typhina L.
N, Matapedia R, Bic, Carl.

R. Toxicodendron L. Rest, N, TracMt, DaR, Percé.

AQUIPOLIACEAE

Ilex verticillata (L.) Gray GB(II),

Nemopanthus mucronata (L.) Trel. D, Yk, FP, StFab, Matane, RSA,

ACERACEAE

Com. (not als) YMSA

A. spicatum Lam. Com. LMetis, MtA(hornbl), Ch,

A. saccharum Marsh.

A. saccharinum L.

A. rubrum L. P,N,Carl,D,BR,Percé,Bic,

A. Negundo L.

BALSAMINACEAE

Impatiens biflora Walt. Com. D, LMetis,

I. pallida Nutt. ML(M.),RCC,Ch,

RHAMNACEAE

Rhamnus alnifolia L'Her.
NC, PD, GR, Carl, LC, BR, D, NR, Percé, TT, 3ic,

MALVACEAE

Malva rotunfifolia L. NC.Yk.

M. moschata L. NC, P, Bic, Carl, N, BR, Percé, NR,

Hypericum perforatum J.

H. punctatum Lam. Bic,

H. ellipticum Hook,

H. boreale (Britton)Bicknell Rim, Rec

H. virginicum L. NC, YK, D, NR, Rim, Bic, RCC, AST

CISTACEAE

Hudsonia tomentosa Nutt.

H. tom., var. intermedia Peck. Rest R(Bell),

VIOLACEAE

Viola cucullata Ait.

GC, Ldes Am, Rim, Bic, Log, TT, man', "

V. cuc., var. microtitis Brainera.

V. nephrophylla Greene.
Com.Bic, Percé, Matap, LC, RSA, GC, BR, DaR, DR, GR, Esc.

V. septentrionalis Greene.
N, Carl, DaR, GC, Bić, Matane, Assam,

V. novae-angliae House

V. Selkirkii Pursh. Com. GC, Mt/(hornbl), GR, N, man Sy

V. palustris L. Lita(hornol), TT, Log. You.

1. 20

V. pallens (Banks) Brainerd. Com. litA(hornbl.), TT, Log, IMetis,

Y. incognita Brainerd.
Com. RBlanche, GR, MtA (hornbl), Matane,
Bic, Log,

V. incog., var. Forbesii Brainerd.

V. renifolia Gray

V. ren., var. Brainerdii (Greene) Fernald Com. MtA(hornbl), TT, Bie, TracMt, RSA, Matane, NC, Ch,

V. eriocarpa Schwein., var. leiocarpa Fern. & Wieg.

GR, N, Dar, GC, RCC, Rece, Rece

V. conspersa Reichenb.

V. labradorica Schrank.

NC, GR, NR, NtA(hornbl & serp), TT, BI.

Percé, Ly main lander de la like

V. adunca Sm. Bic.

V. ad., var. glabra Brainerd. Carl, BI, htsp/

ELAEAGNACEAE

Elacagnus argentea Pursh.
BR(Post), Bic(Bartr.). noto

Shepherdia canadensis (L.) Nutt. NC, GR, Bic, Carl, LC, BR, Perce, ML, T, LMetis-RSA, BI, Ch(Scarce), StSimon, Matane. Re. approved.

TYTHRACEAE

Lythrum Salicaria L.

L. Sal., var. tomentosa (Mill.)DC. Swampy pasture back of hotel, Ste. Felicité (1906).

ONAGRACEAE

Lpilobium angustifolium L. Com. HtA(hornbl.), LHetis.

1. ang., f. albiflorum (Dum.) Haussk. Matap.R.

E. ang., f. spectabile (Simmons) Fernald TT(LacFortin), Mt/lb(Flagstaff).

F. ang., ver. macrophyllum (Haussk.)
Fernald (Magd.)

I. ang., var. intermedium (Wormsk.)

Fernald.

- TT, Jan., var. platyphyllum (Deniels)
- E. latifolium L. MagdR(M), 3R, DR, DaR, GC, RSA, Matane R(A),
 - E. molle Torr.
 - E. densum Raf. NC,NR,D,Bic,Carl.
 - E. palustre L. Com. LT, BI, Bic, Matane, NR, TT, NC, Log, 71000
 - 2. pal., var. longirameum Fern. & Wieg. (Côte Nord)
 - E. pal., was mandjuricum Hauxin
 - Log, 17 Labradoricum Haussk.
 - E. pal., var. monticola Haussk. TT, R3lanche,
 - H. glandulosum Lehm. BI, Perce.

- H. gland., var. cardiophyllum Pernald.
- E. gland., var. adenocaulon (Haussk.)
 Fernald
 LMetis, NR, RBlanche, P.
- E. gland., var. occidentale (Trel.)

 NR,NC,Bic,BR,
- E. gland., var. Brionense Fernald (Magd.)
- E. gland., var. perplexans (Trel.) Fernald
- E. Coreale Haussk
- E. lactiflorum Howelet.

 IItA(hornbl), TT, Log, Port, Thank You,
- E. Drumenoudi Hausson.
- E. alpinum L. = E. anagallidifolium MtA(hornbl), TT.
- E. Hornemanni Reichenb.
 Com. TT, Perce, RSA, GC, YR, MtA(hornbl),
 LC, GR, RCC, Log, Ch,

Qenothera perennis L. = O. pumila Rim, Bic, Rear

O. muricata L. Com. DR, Hatane, RBlanche, YR, RSA, P, Carl,

Circaea canadensis Hill.

com. NC, DaR, LMetis, h....

HALORAGIDACEAE

Lyriophyllum alterniflorum DC.

M. exalbescens Fernald. Dan YR.

M. magdalenense Fernald (Magd.)

M. verticillatum L., var.intermedium Koch. (Magd.)

II. vert., var. pectinatum Wallr.

M. Farwellii Morong. TT(Lac Fortin).

M. tenellum Bigel.

Hippuris vulgaris L. BR, LC, DR, DaR, Yk, TT, AP 1800

H. vulg., var. maritima Hartm.
Cap Rosier & Grand Valee (M). Dr. Dak,
YR, Matane, T.

ARALIACEAE

Aralia racemosa L.

A hispida Vent . P

A. nudicaulis L. Com. MtA(hornbl.), LMetis, n.did

Panax trifolium L.

P. quinquefolium L.

UMBELLIFERAE

Sanicula marilandica L.
Com. BR, Percé, DR, LT, LC, RSA, LMetis, DaR,
Matane, 2001 16

Osmorhiza Claytoni (Michx.) Clarke. N,GC,

Q. longistylis (Torr.) DC. Rest,

O. obtusa (C.&R.) Fernald Com. BR, MtA(hornbl.), Carl, LMetis, TT, GR, N, LC, YR, Bic, RCC, Log, MartR, A.

O. divaricata Nutt.
Com. Bic, Rest, D. G3, Carl, Percé, RCC, Harth,

Conium maculatum L.

Cicuta maculata L. P.N.Carl. Perce, Bic, BR, GR, D, DaR, ML, Capucins,

C. bulbifera L. PD, BR, DaR, NR, Bic,

Carum Carvi L. Com. LMetis, Bic, Perce,

Sium suave Walt. NC, BR, GR, Esc, N,

Ligusticum scothicum L. Com.on coast, Perce, T, LMetis, BR.

Com. on coast, T, Log, Jan J. J.

Collope - ?

Pastinaca sativa L. NC, Carl, N, ML,

Heracleum lanatum Michx. Com. LMetis.

- Conioselinum chinense (L.) 3Sp. Com. T, Lietis, Perce,
- C. pumilum Rose (Nfd.serp.)
- C. Gmelini (C.&S.)C.&R. MtA(serp.),TT,

Angelica atropurpurea L. GC, LC, BR, Dak, T, RCC, Ch, Mar.

Daucus Carota L.

CORNACEAE.

- Cornus canadensis L.
 Com. D. Miguasha, GR. Matane, MtA (hornbl),
 Bic, Jul.
- C. can., var. intermedia Farr.
- C. succica L. (Temisc., Magd.)
- C. rugosa Lam. = C. circinata Rest, N. Carl, Perce, Bic,

- C. stolonifera lichx.
 Com. Lietis GR. HtA (hornbl.), Matane,
- C. alternifolia L. f. Perce, Bar, RSA, RCC, Mar. Ko

7. 1

ERICACEAE.

Chimaphila umbellata (L.) Barton, var. cisatlantica Blake. NC.Bic.N.Carl.LC.BR.GR.GR.Percé. Mata. https://doi.org/10.1001/10.1

Moneses uniflora (L.) Gray. Com. Bic, Matane, Carl, DR, LMetis,

Pyrola minor L. Com. Carl, LC, IMetis, Bic, MtA(hornbl), RSA, YK, N, Matane, X = 7 %

P. secunda L. Com. Perce, Carl, DR, NC, Bic,

P. sec., var. obtusata Turcz. Com. NC, Motane, NR, LMetis, Zm-nm

P. chlorantha Sw. Com. Perce, NC, GB, Bic.

- P. chl., var. paucifolia Fernald
- P. elliptica Nutt. Com. N. LMetis, RCC,
- P. rotundifolia L., var. arenaria Mert.& Koch.
- P. rot., var. americana (Sweet)Fernald
- P. grandiflora Radius
- P. asarifolia Michx. Com.DR, BR, Bic, NC, Matane, Carl, My Mark,
- P. as., var. incarnata (Fischer)Fernald.
- Monotropa uniflora L.

 3ic. Carl, GR, Perce, D, MtA(hornbl), TP, Log,
 Hatane,
- M. Hypopitys L.
 Bic, Carl, GR, MtA(hornbl), Log. Varante

Pterospora andromedea Mutt. (PEI).

Ledum palustre L.

L. groenlandicum Oeder. Carl, MtA(serp), Bar, N, LMetis, Fort, Log, Tath

Rhododendron canadensis (L.) BSP.

R. lapponicum (L.) Wahl. MtA(serp), TT, Log, Jap.

Loiseleuria procumbens (L.) Desv. MtA(hornbl&serp), TT,

Kalmia angustifolia L.

NC. Bic, N, Carl, D, NR, FP, MtA(serp), RSA,
GR, Littler, Percé, LMetis,

K. polifolia Wang.
NC, W, FP, MtA(serp), TT, StFab, RBlanche, Log.

Phyllodoce coerulea (L.) Bao. MtA(serp), TT(Allen), J. Theta Cassiope hypnoides (L.) D.Don.
IItA(hornol), TT(Allen), Thata

C. tetragona (L.) D. Don.

Andromeda glaucophylla Link.
NC, CR, N.D, NR, MtA(serp), TT, SteA(Bell), BR,

A. Polifolia L. (Eab.)

Chamaedaphne calyculata (L.) Moench.
NC, Bic, N, NR, GR, D, FP, MtA(serp), TT, StFab,
IMetis.

G

Epigaea repens L. GR, BR, D, Yk, NR, Bar, NtA(serp), Xmy-NIK.

Ccultheria procumbens L.

Arctostaphylos Uva-ursi (I.) Spreng. GR, Bic, MtA(serp), NC,

A. Uv., var. adenotricha Fern. & Macb.

- A. Uv., var. coactilis Fern. & Macbr. (Mingan)
- A. alpina (L.) Spreng. HtA(hornbl&serp), TT, Log, Fort, file.
- A. rubra (Rehder & Wilson) Fernald (Côte Nord)

Chiogenes hispidula (L.) T. & G. Com. Carl, RSA, GR, RBlanche,

Gaylussacia baccata (Wang.) K. Koch.

Vaccinium pensylvanicum Lam.
NC, 3ic, GR, T, D, GB, FP, Bar, LMetis, R3lanche, Aid

V. pen., var. myrtilloides (Michx.) Fernald Bic, TT, MtA(serp) Bic, I.

V. pen., var. angustifolium (Ait.)Gray MtA(hornbl.), TT, Fort, Xo.

V. pen., var. nigrum Wood.

V. canadense Kalm. Nc, Carl, BR, D, FP, N, GB, GR, Bar, Fort, Mar, TT V. uliginosum L., var. alpinum Bigel.

MtA(hornbl&serp)TT, BI(S.end), Fort, balanter

V. nubigenum Fernald

NtA(hornbl), TT, RSA, Lacdes Am, Fort for

V. ovalifolium Sm. MtA(hornbl), RSA, TT, LT, Log, John Accel.

Y. Vitis-Idaea L., var. minus Lodd. NC, Bic, GRin bog, Bar, Yk, D, MtA, RSA, TT, BI, Fort, Mal, RBlanche, M.

V. Oxycoccus L. NC, GR, N, MtA, NR, BR, TT,

V. macrocarpon Ait.

DIAPENSIACEAE

Diapensia lapponica L.

MtA TT(M), Fort. Lag. Main.

'PLUMBAGINACEAE

Limonium trichogonum Blake Bic. ML.

Statice labradorica (Wallr.) Hubbard& Blake, var. submutica Blake. MtA(serp).

PRIMULACEAE

Primula farinosa L. (Lab.)

P. farin, var. americana Torr. Perce,

P. farin., var. incana (M.M.Jones) Fernald (Côte Nord)

P. farin., var. macropoda Fernald.
Com.on Stl&Gulf, Bic, Perce, BI, Matane,
Jaco Hughes, Ch.

P. mistassinica Michx.
Com. GC, Percé, TT, BR, LC, NR, Zell AN / Maint

P. egaliksensis Wormsk. (Lab., NFD.)

Androsace septentrionalis L. Ch.

A. sept., var. robusta St. John (Mingan)

Samolus floribundus HBK. (PEI).

Lysimachia vulgaris L.

L. punctata L.

L. terrestris (L.)BSP. BR, DaR, D, Rim, Bic,

L. thyrsiflora L. Bic,

Trientalis porealis Raf.

Glaux maritima L.

G. mar., var. obtusifolia Fernald P.DaR, Bic, RR, FP, ML, T, LMetis,

OLEACEAE

Fraxinus nigra Marsh. Com.RCC,

GENTIANACEAE

Gentiana nesophila Holm (Antic.)

G. Victorinii Fernald

G. propingue Richardson (Lab., Nfd.)

G. nivalis L. (Lab.)

G. linearis Froel.

Lomatogonium rotatum (L.)Fries. DR, DaR, T, Mars,

Halenia deflexa (Sm.) Griseb. Com.GR, RSA, Carl, Rim, IMetis, BR, Matane,

Menyanthes trifoliata L.
NC, GK, Bic, NR, D, BR, Percé, DaR, TT,

APOCYNACEAE

Apocynum androsaemifolium L. PD, GR, N, Carl, NR, BR, YR, Bic, Amqui, M X-XHY

A. medium Greene Rest, GC, RSA,

A. cannabium L. GR, Rest, 3R, D, DaR, GC, Matane,

Asclepiadaceae

Asclepias syriaca L. "Abundant all along the Restigouche" (Bell)

CONVOLVULACEAE

Convolvulus sepium L. BR.N.D.SteAnne.Ch.

C. sep., var. pubescens (Gray) Fernald BR. Bic, Carl,

arvensis L.

POLEMONIACEAE .

Polemonium caeruleum L. GB.

Collomia linearis Nutt. P, Carl, NR, BR,

R.a Ret"

BORAGINACEAE

Cynoglossum officinale L.

C. boreale Fernald GB(M), LC,

Lappula echinata Gilib.
Rest, Carl, ML, T, Bic, Com. along StL,
IMetis, RBlanche

Hackeleadeflexa (Wahlenb.) Girere.
Tracht, Perce, HL, Ch, voc. audrich al frag)

Symphytum officinale L.

S. asperum Lepechin.

Lycopsis arvensis L. NC, Carl, FP, ML, T, Bic, M

Myosotis scorpoides L.

M. laxa Lehm.
Com.near coast.Capucins, LMetis, Bic, BR,
Ch, RBlanche,

M. sylvatica (Mhrh.) Hoffm. GR, GC, Bic.

M. aryensis (L.) Hill GR,

Mertensia maritima (L.)S.F.Gray Com, Carl, LMetis.

Lithospermum arvense L.

L. officinale L. Bic, occas. Lithetis to CapChat.

Echium vulgare L.
A & L Sup RR, Carl,

LABIATAE

Scutellaria lateriflora L.
NC, N, DaR, Carl, NR, BR, D, GC, RCC, Man.

S. Churchilliana Fernald Bic (Wmson.)

S. epilobiifolia A. Hamilt. NC, N, D, Carl, LC, BR, CC, Bic, Rest,

Nepeta Cataria L. Carl, N. Bic, DaR, Ch,

N.hederacea (L.) Trev.

N. hed., var. parviflora (Benth.)Druce.

Dracocephalum parviflorum Nutt. Bic.

Prunella vulgaris L. IMetis,

P. vulg., var. lanceolata (Barton)Fernald. LT, DaR, LMetis, RCC,

P. vulg., var. lan., forma candida Fernald

Galeopsis Tetrahit L. GR, Perce, ARRA

G. Tet., var. bifida (Boenn.)Lejeune& Com.CR, LMetis, GR,

Lamium album L. Bic.

Leonuras Cardiaca L.

Stachys palustris L. Yk,

Perce, Dar, GC, RCC, Panh

Lycopus uniflorus Michx.
NC,N,GR,D,LC,BR,DaR,Bic,Ch,NR,/

L. americanus Muhl. NC, LC, BR, DaR, Rim, Bic, Carl,

Mentha spicata L. D. Bic,

d.

M. arvensis L.

M. arv., var. canadensis (L.) Briq. Com. LMe tis, LC, RCC,

M. arv., var. glabrata (Benth.) Fernald NC, GC, Bic, Mar, GR, RBlanche, BR, Mars.

SOLANACEAE

Lucephysalis grandiflora (Hook.) Rydl, Bic, StFab,

Hyoscyamus niger L. NC. BR. Carl, Yk,

SCROPHULARIACEAE

Verbascum Thapsus L. NC, Carl, BR.

Linaria vulgaris Hill.
Common from Kest.toGB. Percé, Kest, Carl,

L. minor (L.)Desf.

Chelone glabra L.
NC, BR, FP, NR, Bic, Carl,

C. glabra, var. dilatata Fern. & Wieg.

Mimulus ringens L. Bic.

M. moschatus Dougl.

Limosella aquatica L. (Côte Nord)

L. subulata Ives.

Veronica longifolia L.

V. americana Schwein.
Com. GR, MtA(hornb.), Bic,

V. scutellata L. BR, NR, D, Rim, Mar. RM, Ric

V. off., var. Townefortii Reichenb.

V. alpina L., var. unalaschcensis C&S. MtA(hornbl), TT, Log, Lag

V. serpyllifolia L. Com. IMetis, GR,

V. humifusa Dickson Com. TT, Matane, MtA(hornbl), GC, GR, NR, Bic, Matr. Log.

V. agrestis L. GR.

V. persica Poir.

Castilleja pallida (L.) Spreng., var. septentrionalis (Lindl.) Gray.
Rest, GR, MtA(hornbl.&serp), BR, Percé, GC, Bar, TT, BI, Log, Ye, Access

Melampyrum lineare Lam.
NC, Bic, D, GB, YK, FP, MtA(serp),

Fort, That R. Las, mater Combi

E. Oakesii, forma lilacina Fern.& Wieg. (Lab.)

E. Williamsii Robinson.

E. Vil., var. vestita Fern. & Wieg. (Nfd.)

E. purpurea Reeks. DR, Bar, BI,

- E. purp., forma candida Fern. & Wieg. (Côte Nord)
- E. purp., var. Randii (Robinson) Fern. & Wieg.
- E. purp., v. Rand., forma albiflora Fern. & Wieg.
- E. purp., var. Farlowii (Robinson) Fernald & Wiegand.
- E. disjuncta Fern. & Wieg. (Antic.)
- E. arctica Lange. GR,BI,P,PN,BR, RP
- E. canadensis Townsend.
- E. stricta Host. Grioux, GR, Percé,
- E. str., var. tatarica (Fisch.)Fern.&Wieg. GR, Perce, D,

E. americana Wettst. NC,P,BI,Carl,

Bartsia alpina L. (Lab.)

Odontites rubra Gilib.

Pedicularis groenlandica Retz. (Lab.)

P. lapponica L. (Lab.)

P. euphrasioides Stephan (Lab.)

P. palustris L. Matane, SteA, Trois Cistela.

P. sylvatica L. (Nfd.)

P. Furbishiae Watson (n. Me.)

P. flammea L.

Rhinanthus Crista-galli L.

R. C.-g., var. fallax (Wimmer & Grab.)

Com. Perce Dar,

R. borealis (Sterneck)Chabert(Côte Nord)

R. oblongifolius Fernald.

R. Kyrollae Chabert Com. Percé, Bic, LMetis,

R. sp.("stenophyllus")
Perce, BI, Bar, DaR,

LENTIBULARIAGNAD

Utricularia vulgaris L. (Nfd.)

U. vulg., var. americana Gray.

U. minor L. GR,

U. intermedia Hayne. NC,D,GR,YR,

W. cornuta Michx.

Pinguicula vulgaris L. Com. Rest, LC, BR, TT,

P. villosa L. (Lab.)

P. alpina L. (Lab.)

OROBANCHACEAE

Epifagus virginiana (L.) Bart.

Orobanche uniflora L. GR. Bic.

PLANTAGINACEAE

Littorella americana Fernald

Plantago major L. Com. P.Yk,

P. maj., var. asiatica (L.) Done. LC, DR, DaR, GC, RSA, BR, RCC

P. maj., var. intermedia (Gilib.)Done.

P. eriopoda Torr.
DR, DaR, ML, T, Matane, Rock Dam(M), Grand
Etang to Cap Chat(M).

P. oligaintshe sn Ros Sof the Marsh.

P. dig., v. fallay Form.

P. decipieron Bornes and term.
Com. Metis, BI, P, Perce, RBlanche, GR,
P. june.v. Coursetiana Term.

P. lanceolata L.

RUBIACEAE

Galium Aparine L. Carl, ML, Rim,

G. verum L.

G. kamtschaticum Steller. MtA(hornbl), TT, Log, matr. Yog, Mick

G. boreale L.

G. Mollugo L. Jaco Hughes,

G. erectum Huds. Metapedia (JRC.)

G. palustre L. Com. Carl, LMetis, Bić, Rim, Matane, P, RBlanche

G. trifidum L. Com. NR, NC.

G. trif., var. halophilum Fern. & Wieg. Bic, Matane, BR.

G. Brandesei Gray. GR.

A. Brandegge hay

- G. Claytoni Michx.
- G. Cl., var. subbiflorum Wieg.
- G. laoradoricum Wiegand. BR, Carl, CR, D, Escum, NR, DaR.
- G. asprellum Michx. Com. LC, LMetis, N, RCC, June Pans
- G. triflorum Michx. Com. LMetis, Matane,

CAPRIFOLIAC SAE

Diervilla Lonicera Mill.

Lonicera egenuler ... ver. villosa (Michx.) 1865

, L. will., ves. Bolonis (Exton) From

GB. Log Calvescens (Fern. & Wieg.) Jen.

- L. canadensis Marsh. Com. GR, Bic.
- L. oplongifolia (Goldie)Hook.
- L. involucrata (Richardson)Banks.

 MetapediaR(M), RSA(M), LC, BR, GC, LdesAm, LT,

 TT, Log, (RCC (1804) 7), 100 / 200 /
- Symphoricarpus albus (L.)Blake Bic,
- Linnaea borealis L., var. americana (Forbes)

 Rehder.

 Com. Bic, TT, LMetis, Miguasha, LT, RSA,

 MtA(hornbl):
- Wirburnum Opulus L., var. americanum it.
 - V. pauciflorum Raf. Com. Carl, RBlanche, RSA, Bic, LC, MtA(hornbl), RCC, 200, No.
 - V. cassinoides L. NC, GR, Carl, TracMt, FP, Bar. StFab. RBlanche.

Sambucus canadensis L.

S. recemosa L.

VALERIANACEAE

<u>Valeriana</u> <u>uliginosa</u> (T.&G.)Rydb. NR, BR, Matane, Bic,

V. sylvatica Banks.

DIPSACACEAE

Knautia arvensis (L.) Coult. Carl,

CAMPANULACEAE

Campanula glomerata L. Trois Pistoles,

C. rapunculoides L. D. Bic. Yk,

C. uniflora L.

C. rotundifolia L. Com. BI. MtA, Ha tane, TT, Perce, D, LMetis, BR. DR, Bic, LC, P. RPV matrix

LOBELIACHAE

Looelia spicata Lam.

L. Kalmii L. NC, GR, Bic, Rest, BK, DR, NR, Dak.

L. inflata L.

L. Dortmanna L.

Compositae

Eupatorium Bruneri Gray = maculatum Wieg. Com. Dak. Har.

E. perfoliatum L.

2. urticaefolium Reichard. Com.Dan, Percé, Metis, JacoHughes, Ch. 2004. Solidago squarrosa Muhl.

- Ş. <u>latifolia</u> L. PD. BR. Carl. GC. RSA, LMetis, kCC.
- S. bicolor L.
- S. hispida Muhl. Com. Perce, DR, Matane, RSA, Kr
- S. hisp., var.lanata LC, BR, GC, Perce, YR, RSA,
- S. hisp., var.disjuncta Fernald
- S. hisp., var.tonsa Pernald
- S. puberula Mutt.
- S. macrophylla Pursh. Com. CR, Carl, LMe tis, D, LITA, Hatane, GR, Log.

- S. mac. var. thyrsoidea (Meyer) Fernald.
- S. calcicola Fernald.

 Metis Buch, 1976 (Ethondorn)
- S. mensalis Fernald
- S. multiradiata Ait.
 MtA(serp), TT, BI, Perce, Fort, Zag, Nie / //
- S. Cutleri Fernald.
- S. Randii (Porter) Britton.
- S. racemosa Greene.
- S. chlorolepis Fernald. MtA(serp).
- S. humilis Pursh. C. uliginosa Nutt. NR, 3R, GR, FP, RSA, LT, Kunk- hFk.
- S. juncea Ait.

- S. sempervirens L. II. ML. Bic.
- S. uniligulata (DC.)Porter.
- S. rugosa Mill.
- S. rug., var. villosa (Pursh) Fernald. DaR, LC, BR, NC,
- S. serotina Ait.
- S. canadensis L. D. Carl, LMetis, BR, LC.
- S. lepida DC.
- S. lep., var. molina Fernald.
- S. lep.var. fallax Fernald. DR, RSA, BR, DER, LLL, T,

- S. lep., var. elongata (Nutt.) Pernald.
- S. graminifolia (L.) Salisb.
- S. gram., var. Nuttallii (Greene) Fernald.
- S. gram.var. septentrionalis Fernald. DR, LC, BR.
- Aster macrophyllus L. Carl, NC.
- A. macr., var. velutinus Burgeos. Bic.Carl.RCC.
- A. radula L.
- i. rad., var. strictius (Pursh) Gray (Antic.)
- A. cordifolius L. NC. Carl.

- A. Lindleyanus T.&G.

 Belg, GK.D. M., LC. DaR, Percé, Carl, LtFame(M),
 MetapediaR, 20x-21/k
- A. latenflorus (L.)Britton
- A. paniculatus Lam.
- A. junceus Ait.
- 1. anticostensis Fernald (Antic.)
- A. longifolius Lam. Com. NR, LC, GC, DR, GR.
- A. long., var. villicaulis Gray.
 - A. foliaceus Lindl.
 Com. MtA(serp.),TT,RSA,BR,D,NR,PD,IMetis,
 CapRer.
- A. fol., var. frondeus Gray.

- A. fol., var. arcuans Fernald. DR, Dar, YR, RCC.
- A. fol., var. crinifolius Pernald.
- A. fol., var. subpetiolatus Fernald.
- A. novi-belgii L.
- A. puniceus L. Com. MtA(hornol.),D.
- A. punic., var. perlongus Pernald.
- A. punic., var. firmus (Nees)A.Gr.
- 1. punic., var. oligocephalus Fernald
- Com. Dak, LMetis.

- A. acuminatus Michx.
- A. nemoralis Ait.
- A. supulatus Michx., var. obtusifolius Fern. (Bathurst)
- A. laurentianus Fernald (e.N.B., PEI., Magd.)

Brigeron hyssopifolius Michx. Com. RSA, TT, Perce, Bic, Matane, GC, LC, GR, Rest, RCC, Yal

E. compositus Purch. var. multifidus (Ryob. / Macbr. + Payson

- E. uniflorus L. (Lab.)
- L. philadelphicus L. Com. Lietis, Dar, LC, Latane, RCC.
- M. annuus (L.) Pers.
- E. ramosus (Walt.) RSP.
- B. ram., var. septentrionalis Fern. & Wieg. NC.D, N. GB, Bic.

E. canadensis L. NC, Bic, Carl, C3, ML, StDemase, DaR.

P. acris L., var. asteroides (Andrz.)DC. ML(II), Carl. Bic, LC, Percé, T, Mar, IMetis, Crosses Roches. Rp

RSA. var. arcuans Fernald.

E. lonchophyllus Hook. (Antic.)

Antennaria eucosma Fern. & Wieg. (Antic.)

A. cana Fern. & Wieg. (Nfd.)

a vexillifera Fem

A. straminea Fern. (Nfd.)

3ic. Mad. Cap Vani. On the

albicans Fern. (Nfd.)

A. gaspensis Fern. Perce, BI.

- A. petaloidea Fern. Bic.
- 1. pet., var. subcorymbosa Fernald.
 - A. appendiculata Fernald.
 - 1. glabrifolia Fernald (Côte Nord)
 - A. spathulata Fernald (Nfd., Côte Nord)
 - A. canadensis Greene P,CR,Bic,N, Perce,MtA(hornbl),NC,
 - A. neadioica Greene P, Rest, Bic, Percé,
 - A. neod., var. chlorophylla Fernald
 - A. neod. ver. (gespensis in pert)
 Bic. Carl. T. RSA, GR. niet. Log

A. neod., var. rupicola Fernald. Rest, N,

Anaphalis margaritacea (L.) B.&H. Com. CR. (Metis.

A. marg., var. supalpina Gray

A. marg., var. occidentalis Greene. Com. MtA(hormbl.), RSA, Percé, GC.

Gnaphalium obtusifolium L.

G. decurrens Ives. Bic.

G. uliginosum L. P.Carl.GR.BR.Percé.IMetis.RBlanche. T

G. supinum L.

G. sylvaticum L. Com. NR, DaR, Carl, Irishtovn, D, Mar.

G. norvegicum Gunn. MtA(hornol.), Fr, Log. 7

Inula Helenium L. Carl, NR,

Amorosia artemisiifolia L.

A trifit

Rudbeckia hirta L. NC,N,BR,GR,D,GB,NR,ML,Bic.

Bic.FP.BR.

- 3. cern., var.oligodonta Fern.&St.J.(Magd.)
- 3. hyperborea Greene, var.quebecensis Fern.
- B. hyp., var. arcuans Fernald.
 - 3. nyp., var. gaspensis Fernald. BR.DR.DaR.YR, Hatane.

B. tripartita L. Perce.

B. frondosa L.

Achillea Millefolium L. Com. Yk, GC.

A. borealis Bong.

MtA, TT, Perce, Bf, Ch, GR, Mignasha, Bic, GC, 44

A. lanulosa Nutt.

A. dentifera DC. Yk.

A. Ptarmica.
GB, Percé.

Anthemis Cotula L. Yk.

Matricaria inodora L.
P.Carl. Bic. NR. BR. GR. LC.

M. suaveolens (Pursh) Buchenau. Bic-Marsouin. Jaco Hughes.

Chrysanthemum Leucanthemum L. Com. Bic, Rim, NC, Carl.

C. Leuc., var. pinnatifidum Lecoq&Lamotte. Com. Bic, IMetis.

C. Parthenium (L.) Pers.

C. integrifolium Richardson (Lab.)

Tanacetum vulgare L. Com. NR.

1200

T. huronense Nutt.

Artemisia canadensis Michx.
Com. MtA, Perce, P, Bic, Capucin, Ch. Jan.

A. ludoviciana Nutt.

4-26.5

A. vulgaris L. Com.

A. Stellariana FP. RBlanche.

A. biennis Willd. P.BR.

A. annua L.

A. Absinthium L. Com. Carl, IMetis.

A. frigide Willd.

Tussilago Farfara L. Yk.

Com. 3R. Carl, Tr, GR, N, Log. 7000

P. frigilas

P. sagittate Pursh (Lao.)

p. trisonbphyllus Greene

Arnica gaspensis Fernald.

a. Griscomi Form.

4. chionopappa Fernald. CR, 3K, Percé.

A. mollis Hook.
RSA, MtA(hornbl. /LC, TT, GC, T, Log. harris

a. mole, v. petiolaris Jem,

Senecio vulgaris L. Com. RBlanche.

S. viscosus L. Rest.IR.

S. sylvaticus L. GB.

S. Jacobaea L.

190 Beresidifolius Lesa.

S. pauciflorus Pursh.

Street fine land

S. Fernaldii Greenm. (Nfd.)

S. discolders (Heek.) Britton.
Bic, Carl, RSA, Strab, Grosses Roches.

S. discoid (condate leaus)

S. aureus BR,GR,LC,DaR,GC,RSA.

S. aur., var. semicordatus Greenm. GR, BR.

S. ?pseudaureus Rydb . TT,LT,Perce,BR,DaR. NA.

S. Robbinsii Oakes.

S. pauperculus Michx.

S. paup., var. Balsamitae (Muhl.) Fernald. Com. GK, MtA(serp), BR, DaR, Perce, LC.

- S. paup. var. firmifolius Greenm. Perce, Rest, BR.
- S. plattensis Nutt.
- S. <u>Pseudo-Arnica</u> Less. Com. on StL. IMetis.

Arctium Lappa L.

A. minus (Hill) Bernh. Com.

Cirsium lanceolatum (L.) Hill. Com. D.

Com. Carl, LC, LMetis.

C. mut., var. monticola Fernald.

MtA(serp), Tr. Fost. Log. Per del

C. arvense (L.) Scop. Com. Carl, IMetis.

Centaurea Cyanus L. Carl.

C. nigra L. N, Carl.NR,D,ML,Causapscal.

C. Scabiosa L. Carl.

Cichorium Intybus L.

agoseris gaspensis Fim.

Leontodon autumnalis L. Com. Yk. P. BR.

L. aut., var. pratensis Koch. Com.

Approchaeris radicata L.

Tragopogon pratensis L.

Taraxacum lyratum (Ledeb.)DC. (Lab.)

T. ceratophorum (Lebeb.) DC.

Bic, GR, LC, BR, Perce, GC, MtA(hornbl.) RSA,
Log, TT, RCC, Mar. Thank The Mark Mrk.

T. Lapponicum tihem.

T. officinale Weber. Com. GR.GC.Carl.

T. off., var. palustre (Lyons) Bab.

Sonchus arvensis L. Com. Rim. IMetis.

S. arv., var. glabrescens

S. oleraceus L. Yk, Percé, D.

S. asper(L.) Vill. Yk.

Rest. - Perce, Bic, RSA.

L. can., var. integrifolia (Bigel.) Gray Carl.

L. hirsuta Muhl.

L. spicata (Lam.) Hitch.

Crepis nana Richardon (Lab.)

Prenanthes racemosa Michx. Rest, GR, N, BR, BI.

P. mainensis Gray.

P. trifoliolata (Cass.) Fernald

P. nana (Bigel) Torr. CR. MtA, ET, Fort: Pomber Serv

P. altissima L. Com. RR, Yk, LMetis, Ch.

P. Boottii (DC.) Gray.

Hieracium Pilosella L.

H. aurantiacum L.

H. floribundum Wimm. & Grab. Rest, Carl.

H. pratense Tausch.
Com. Kest, Lignasa, Jaco Hughes, Log.

H. florentinum All.

H. scabrum Michx.
D.N.Carl.LC, 3R.N.T.

H. scaor., v. tonsum Fern. &StJohn.

H. vulgatum Fries.
Bic.T.

H. smolandicum 'lang.

H. sanadense Michx. = Com.LC, BR, Perce, RSA, Matane, D, Cap Ren.

H. can.v. hirtiraneum Bernald. 3R. LC, Rest, Matane.

